

# 1 CloudSEN12 - a global dataset for semantic understanding 2 of cloud and cloud shadow in Sentinel-2

3 Cesar Aybar<sup>1, 2, 3</sup>, Luis Ysuhaylas<sup>3</sup>, Jhomira Loja<sup>3</sup>, Karen Gonzales<sup>3</sup>, Fernando  
4 Herrera<sup>3</sup>, Lesly Bautista<sup>3</sup>, Roy Yali<sup>4</sup>, Angie Flores<sup>3</sup>, Lissette Diaz<sup>3</sup>, Nicole Cuenca<sup>3</sup>,  
5 Wendy Espinoza<sup>3</sup>, Fernando Prudencio<sup>5</sup>, Valeria Llactayo<sup>3</sup>, David Montero<sup>6</sup>, Martin  
6 Sudmanns<sup>2</sup>, Dirk Tiede<sup>2</sup>, Gonzalo Mateo-García<sup>1</sup>, and Luis Gómez-Chova<sup>1</sup>

7 <sup>1</sup>Image Processing Laboratory, University of Valencia, 46980 Valencia, Spain

8 <sup>2</sup>Department of Geoinformatics – Z\_GIS, University of Salzburg, 5020 Salzburg, Austria

9 <sup>3</sup>High Mountain Ecosystem Research Group, National University of San Marcos, 15081 Lima, Peru

10 <sup>4</sup>Research Group on Artificial Intelligence, Pontifical Catholic University of Peru, 15088 Lima, Peru

11 <sup>5</sup>Sub-directorate of Atmospheric and Hydrospheric Sciences, Geophysical Institute of Peru, 15012 Lima, Peru

12 <sup>6</sup>Remote Sensing Centre for Earth Systems Research (RSC4Earth), Leipzig University, 04103 Leipzig, Germany

13 \*corresponding author: Cesar Aybar (csaybar@gmail.com)

## 14 ABSTRACT

Accurately characterizing clouds and their shadows is a long-standing problem in the Earth Observation community. Recent works showcase the necessity to improve cloud detection methods for imagery acquired by the Sentinel-2 satellites. However, the lack of consensus and transparency in existing reference datasets hampers the benchmarking of current cloud detection methods. Exploiting the analysis-ready data offered by the Copernicus program, we created CloudSEN12, a new multi-temporal global dataset to foster research in cloud and cloud shadow detection. CloudSEN12 has 49,400 image patches, including (1) Sentinel-2 level-1C and level-2A multi-spectral data, (2) Sentinel-1 synthetic aperture radar data, (3) auxiliary remote sensing products, (4) different hand-crafted annotations to label the presence of thick and thin clouds and cloud shadows, and (5) the results from eight state-of-the-art cloud detection algorithms. At present, CloudSEN12 exceeds all previous efforts in terms of annotation richness, scene variability, geographic distribution, metadata complexity, quality control, and number of samples. The dataset is made publicly available at <https://cloudsen12.github.io/>.

## 16 Background & Summary

17 We are in the midst of an exciting new era of Earth observation (EO), wherein Analysis Ready Data (ARD)<sup>1-3</sup> products derived  
18 from big optical satellite imagery catalogs permit direct analyses without laborious pre-processing. Unfortunately, much  
19 of these products are contaminated by clouds<sup>4</sup> and their corresponding shadows, altering the surface reflectance values and  
20 hampering their operational exploitation at large scales. For most of the applications exploiting ARD, cloud and cloud-shadow  
21 pixels need to be removed prior to further analyses, i.e. masked out, to avoid distortions in the results.

22 Improving the accuracy of existing cloud detection (CD) algorithms used in current ARD products is a pressing need for the  
23 EO community regarding optical sensors such as Sentinel-2. Ideally, CD algorithms would classify pixels into clear, cloud  
24 shadow, thin cloud, and thick cloud. Splitting clouds into two subclasses allows downstream applications to design different  
25 strategies to treat cloud contamination. On the one hand, thick clouds entirely block the surface's view, reflecting most of the  
26 light coming from the sun and generating gaps impossible to retrieve using optical sensors data<sup>5</sup>. On the other hand, thin clouds  
27 do not reflect all the sunlight allowing to observe a distorted view of the surface<sup>6,7</sup>. For some applications, such as object  
28 detection or disaster response<sup>8</sup>, images contaminated with thin clouds are still helpful. Therefore, distinguishing between thick  
29 and thin clouds is also a critical first step toward optical data exploitation. Nevertheless, it is worth noting that there is no  
30 overall consensus on quantitative approaches delimiting when one class begins and the other ends; thus, it is so far inherently  
31 subjective to the image interpreter<sup>9,10</sup>.

32 Methodologies for CD can be classified into two main categories: knowledge-driven (KD) and data-driven (DD). KD  
33 category emphasizes the logical sense connected with physical foundations. For instance, the Function of mask (Fmask)<sup>11</sup>  
34 and Sen2Cor<sup>12</sup> use a set of physical rules formulated on spectral and contextual features to distinguish clouds against water or  
35 land. Overall, KD algorithms achieve accurate results, and good generalization<sup>13-15</sup>. However, it is well-known that they have  
36 problems associated with thin cloud omission and non-cloud object commission, frequently at cloud edges and under surfaces  
37 with a smooth texture or high reflectance<sup>16,17</sup>.

38 In recent years, supervised data-driven strategies, trained in large manually annotated datasets, have grown notoriety in  
39 remote sensing thanks to the success of classical machine learning (ML) and deep learning (DL) techniques<sup>18</sup>. Among multiple  
40 noteworthy ML precedents<sup>19–21</sup> in cloud detection, Sentinel Hub’s s2cloudless<sup>22</sup> is the most extensively used due to its low  
41 computational requirements and lightweight design. Nonetheless, when evaluated in certain particular regions, such as tropical  
42 forests, s2cloudless falls short of *state-of-the-art* KD cloud detectors<sup>13,23,24</sup>. Meanwhile, DL has proven to be more effective  
43 on CD compared to more classical ML<sup>25,26</sup>, although it is subjected to the exigency of pixel-level annotation.

44 The recent progress in DL-based cloud semantic segmentation in Sentinel-2 can be attributed to the proliferation of public  
45 CD datasets such as SPARCS<sup>27</sup>, S2-Hollstein<sup>28</sup>, Biome 8<sup>10</sup>, 38-cloud<sup>29</sup>, CESBIO<sup>30</sup>, 95-Cloud<sup>31</sup>, and CloudCatalogue<sup>32</sup>.  
46 Nonetheless, these datasets have some well-known shortcomings, including the absence of a temporal component, a lack of thin  
47 clouds or cloud shadows labels, a high degree of class imbalance, and a relatively small size joined with geographical bias (see  
48 Table 1 for the current characteristics/limitations of each of those datasets). Furthermore, their quality control process is not  
49 always properly described and their development remains somehow unclear. These flaws hinder the natural transition to global  
50 DL cloud classifiers and the application of new-fashioned geographically-aware algorithms<sup>13</sup>.

51 Inspired by the CityScapes dataset<sup>33</sup>, we created and released CloudSEN12, a large and globally distributed dataset (Fig. 1)  
52 for cloud semantic understanding based mainly on Sentinel 2 imagery. CloudSEN12 surpasses all previous efforts in size and  
53 variability (see Table 1) offering 49,250 image patches (IPs) with different annotation types: (i) 10,000 IPs with high-quality  
54 pixel-level annotation, (ii) 10,000 IPs with scribble annotation, and (iii) 29,250 unlabeled IPs. The labeling phase was conducted  
55 by 14 domain experts using a supervised active learning system. We designed a rigorous four-step quality control protocol  
56 based on Zhu et al.<sup>34</sup> to guarantee high quality in the manual annotation phase. Furthermore, CloudSEN12 ensures that for  
57 the same geographical location, users can obtain multiple IPs with different cloud coverage: cloud-free (0%), almost-clear  
58 (0-25%), low-cloudy (25-45%), mid-cloudy (45-65%), and cloudy (>65%), which ensures scene variability in the temporal  
59 domain. Finally, to support multi-modal cloud removal<sup>35</sup> and data fusion<sup>36</sup> approaches, each CloudSEN12 IP includes data  
60 from various remote sensing sources that have already shown their usefulness in cloud and cloud shadow masking, such as  
61 Sentinel-1 and elevation data. See Table 2 for a full list of assets available for each image patch.

## 62 Methods

63 This study collects and combines several public data sources that may potentially help us to annotate cloud and cloud shadows  
64 better. Based on this information, semantic classes (Table 3) are created using an active system that blends human photo  
65 interpretation and machine learning. Finally, a strict quality control protocol is carried out to ensure the highest quality on the  
66 manual labels and to establish human-level performance. Figure 2 depicts the workflow followed to create the dataset.

### 67 Data preparation

68 CloudSEN12 comprises different free and open datasets provided by several public institutions and made accessible by the  
69 Google Earth Engine (GEE) platform<sup>37</sup>. These include Sentinel-2A/B (SEN2), Sentinel-1A/B (SEN1), Multi-Error-Removed  
70 Improved-Terrain (MERIT) DEM<sup>38</sup>, Global Surface Water<sup>39</sup> (GSW), and Global Land Cover maps<sup>40</sup> at 10 and 100 meters.  
71 The SEN1 and SEN2 multi-spectral image data corresponds to the 2018–2020 period. We included all the bands from both  
72 SEN2 top-of-atmosphere (TOA) reflectance (Level-1C) and SEN2 surface reflectance (SR) values (Level-2A) derived from the  
73 Sen2Cor processor, which can be useful to analyze the impact of CD algorithms on atmospherically corrected derived products.  
74 See *S2LIC* and *S2L2A* in Table 2 for band description. On the other hand, SEN1 acquires data with a revisit cycle between 6-12  
75 days according to four standard operational modes: Stripmap (SM), Extra Wide Swath (EW), Wave (WV), and Interferometric  
76 Wide Swath (IW). In CloudSEN12, we collect IW data with two polarization channels (VV and VH) from the high-resolution  
77 Level-1 Ground Range Detected (GRD) product. Furthermore, we saved the approximate angle between the incident SAR  
78 beam and the reference ellipsoid (see *S1* in Table 2). Lastly, our dataset also includes previously proposed features for cloud  
79 semantic segmentation such as (1) Cloud Displacement Index<sup>41</sup>, (2) the azimuth (0 - 360°) calculated using the solar azimuth  
80 and zenith angles<sup>42</sup> from SEN2 metadata, (3) elevation from MERIT dataset, (4) land cover maps from the Copernicus Global  
81 Land Service (CGLS) version 3, and the ESA WorldCover 10m v100, and (5) water occurrence from the GSW dataset (see  
82 *extra/* in Table 2). All the previous features constitute the raw CloudSEN12 imagery dataset (Fig. 2a). All the image scenes in  
83 raw CloudSEN12 were resampled to 10 meters using local SEN2 UTM coordinates.

### 84 Image patches selection

85 We sampled 20,000 random regions of interest (ROIs) dispersed globally in order to retrieve raw CloudSEN12 data. Each ROI  
86 has a dimension of 5,090×5,090 meters. Besides, we carefully added 5,000 manual selected ROIs to guarantee high scene  
87 diversity on complicated surfaces such as snow and built-up areas. Afterwards, a ROI is retained in the dataset if all three of  
88 the following requirements are met: (1) SEN2 Level-1C IP does not include saturated or no-data pixel values, (2) the time  
89 difference between SEN1 and SEN2 acquisitions is not higher than 2.5 days, and (3) there are more than 15 SEN2 Level-1C

90 image scenes for the given ROI after applying (2). The total number of ROIs decreased from 25,000 to 12,121 as a result of this  
91 filtering. Despite this reduction, CloudSEN12 still manages to reach a full global representation. However, a high number of  
92 ROIs does not necessarily imply a consistent distribution among cloud types and coverage. Unfortunately, image selection  
93 based on automatic cloud masking or cloud cover metadata tends to produce misleading results, especially under high-altitude  
94 areas<sup>43</sup>, intricate backgrounds<sup>44</sup>, and mixed cloud types scenes. Hence, to guarantee unbiased distribution between clear, cloud  
95 and cloud shadow pixels, 14 cloud detection experts manually selected the IPs (hereafter referred to as CDE group, Fig. 2b).  
96 For each ROI, we pick five IPs with different cloud coverage: cloud-free (0%), almost-clear (0-25%), low-cloudy (25-65%),  
97 mid-cloudy (45-65%), and cloudy image (>65%). Atypical clouds such as contrails, ice clouds, and haze/fog had a higher  
98 priority than common clouds (i.e., cumulus and stratus). After eliminating ROIs that did not count with at least one IP for each  
99 cloud coverage class, the total number of ROIs was reduced from 12,121 to 9,880, resulting in the final CloudSEN12 spatial  
100 coverage (Fig. 1).

### 101 **Annotation strategy**

102 New trends in computer vision shows that reformulating the standard supervised learning scheme can alleviate the huge demands  
103 of hand-crafted labeled data. For instance, semi-supervised learning can produce more detailed and uniform predictions<sup>45</sup>, while  
104 weakly-supervised learning suggests a more cost-effective option to pixel-wise annotation in semantic segmentation. Users  
105 might utilize scribble labels to train a model for coarse-to-fine enrichment<sup>46</sup>. Aware of these manual labeling requirements,  
106 CloudSEN12 includes three types of labeling data: high-quality, scribble, and no-annotation. Consequently, each ROI is  
107 randomly assigned to a different annotation group (Fig. 2c):

- 108 • 2,000 ROIs with pixel level annotation, where the average annotation time is 150 minutes (high-quality group, Fig. 3a).
- 109 • 2,000 ROIs with scribble level annotation, where the annotation time is 16 minutes (scribble group, Fig. 3b).
- 110 • 5,880 ROIs with annotation only in the cloud-free (0%) image (no annotation group, Fig. 3c).

### 111 **Human calibration phase**

112 Human photo interpretation is not a faultless procedure. It might easily be skewed by an individual's bias, overconfidence,  
113 tiredness, or ostrich-effect<sup>47</sup> proclivity. Hence, to lessen this effect, the CDE group refined their criteria using a "calibration"  
114 dataset composed of 35 manually selected challenging IPs. In this stage, all the labelers can consult each other. As a result, they  
115 reached an agreement about the SEN2 band compositions to be used and how to deal with complicated scenarios such as cloud  
116 boundaries, thin cloud shadows, and high-reflectance background. A labeler is considered fully trained if its overall accuracy in  
117 the calibration dataset surpasses 90%. Then, a "validation" dataset formed of ten IPs is used to assess individual performance;  
118 labelers are not permitted to confer with one another during this step. If the labeler's overall accuracy drops below 90%, it will  
119 return to the calibration phase (Fig. 4).

### 120 **Labeling phase**

121 The Intelligence for Image Segmentation (IRIS) active learning software<sup>48</sup> was used in the manual labeling annotation process  
122 (Supplementary Fig. S2). IRIS allowed CDE members to train a model (learner) with a small set of labeled samples that  
123 is iteratively reinforced by acquiring new samples provided by a labeler (oracle). As a result, it dramatically decreases the  
124 time spent creating hand-crafted labels but maintains the labeler's capacity to make final manual revisions if necessary. For  
125 high-quality labeling generation (Fig. 5a), IRIS starts training a gradient boosting decision tree (GBDT) with s2cloudless cloud  
126 probability values greater than 0.7 as thick cloud and less than 0.3 as clear. Next, the labelers make adjustments to the prior  
127 results and, if necessary, add other cloud semantic classes such as cloud shadow and thin cloud. Using this new sample set, the  
128 GBDT model is re-trained. The two previous steps are repeated several times until the pixel-wise annotation passes the labeler's  
129 visual inspection filter. The final high-quality annotation results are then obtained by applying extra manual fine-tuning. Since  
130 there are no quantitative criteria to distinguish between boundaries in semantic classes, the labelers always attempt to maximize  
131 the sensitivity score under ambiguous edges.

132 On the other hand, for scribble labeling (Fig. 5b), the CDE group also used IRIS but without ML assistance. First, labelers  
133 spend one-minute adding annotation around centroids of the semantic classes. Usually, pixels adjacent to the centroids are  
134 more straightforward to classify automatically. Then, to produce balanced annotations, the CDE group added more samples at  
135 cloud and cloud shadow edges for three more minutes.

### 136 **Quality control phase**

137 Despite the human calibration phase, errors are still common in hand-operated labels. Therefore, statistic and visual inspections  
138 were implemented before admitting a manual annotation in CloudSEN12 (Fig. 6). First, an automatic check is set only for  
139 high-quality labels. It proposes that the GBDT accuracy during training must be higher than 0.95. This simple threshold pushes

140 the CDE group to set more samples and care more about labeling correctness. Later, two sequential visual inspection rounds  
141 are carried out for scribble and high-quality labels. The evaluators are two other CDE members than the one who labeled the IP.  
142 If a mistake is found, it is notified using GitHub Discussions (<https://github.com/cloudsen12/models/discussions>). Finally, we  
143 discern the most challenging IPs (difficulty level greater than 4, see Table 4) and consult all CDE members to reaffirm or change  
144 a semantic class. The deliberations were supported by using cloudApp (<https://csaybar.users.earthengine.app/view/cloudapp>),  
145 which is a GEE web application that displays SEN2 image time series from any location on the earth (Fig. S1).

146 Comparing the manual annotation before and after quality control can provide insight into the correctness of annotations  
147 made by humans. Based on this, CloudSEN12 set, for the first time, the human-level performance at 95.7 % confidence when  
148 considering all semantic cloud classes (described in Table 3) and 98.3 % if thin clouds are discarded. The clear and thick cloud  
149 classes presented the largest PA agreement with 99.1% and 96.6%, respectively (Fig. 7). The variance concerning the thick  
150 cloud class ( 3.4 %) was produced by efforts to limit the formation of false positives around cloud borders in the first round of  
151 quality control. In contrast, thin cloud and cloud shadow classes present the largest disparities, with a PA of 78 and 91.8 %,  
152 respectively. Despite using IRIS and CloudApp, which permits labelers to contrast both spectral and temporal SEN2 data, the  
153 detection of semi-transparent clouds remained unclear (21 %). This was especially noticeable when all CDE members discussed  
154 the most complicated IPs (Fig. 6); thin clouds were always the source of the most contention. Considering the assimilation  
155 of atmospheric reanalysis data and radiative transfer model outputs could help to reduce the cirrus detection uncertainty<sup>9,49</sup>.  
156 Nonetheless, our manual labeling approach did not consider this additional data. Finally, cloud shadow disagreement is  
157 explained by a reinterpretation of the semantic classes after the first quality control round. At first, we assumed that only thick  
158 clouds could project shadows. However, this was ruled out as many thin low-altitude clouds project their shadows on the  
159 surface, significantly affecting surface reflectance values.

## 160 Benchmarking cloud detection models

161 The large number of user requirements make it challenging to compare CD algorithms fairly<sup>24</sup>. In crop detection, for instance,  
162 examining the performance of CD models during specific seasons rather than on an interannual scale may be more meaningful.  
163 Another example is that some data users may want to compare CD model performance geographically across different biomes  
164 or land-cover classes. In EO, it has become rather common to benchmark models as classic computer vision algorithms,  
165 generating global metric values for each validation dataset. However, this convenient approach is more likely to result in  
166 biased conclusions, especially using poorly distributed datasets. We argue that an appropriate model in EO must be capable  
167 of obtaining adequate global metrics while being consistent in space across multiple timescales, i.e., at the local domain.  
168 Furthermore, in cloud detection, the observed patterns must be aligned with our physical understanding of the phenomena. All  
169 of the above is hard to express in a single global metric value. Therefore, in order to cover all the possible EO benchmarking  
170 user requirements, we added to each IP the results of eight of the most popular CD algorithms (see *labels/* in Table 2). This  
171 simple step provides CloudSEN12 users more flexibility to choose a better comparison strategy tailored to their requirements.  
172 Next, we detail the CD algorithms available for each IP in CloudSEN12:

- 173 • Fmask4: Function of Mask cloud detection algorithm for Landsat and Sentinel-2<sup>11</sup>. We use the authors' MATLAB  
174 implementation code via Linux Docker containers (<https://github.com/cloudsen12/models>). We set the dilatation  
175 parameter for cloud, cloud shadow, and snow to 3, 3, and 0 pixels, respectively. The erosion radius (dilation) is set to 0  
176 (90) meters, while the cloud probability threshold is fixed to 20%.
- 177 • Sen2Cor: Software that performs atmospheric, terrain, and cirrus correction to SEN2 Level-1C input data<sup>12</sup>. We store the  
178 Scene Classification (SC), which provides a semantic pixel-level classification map. The SC maps are obtained from the  
179 "COPERNICUS/S2\_SR" GEE dataset.
- 180 • s2cloudless: Single-scene CD algorithm created by Sentinel-Hub using a LightGBM decision tree model<sup>50</sup>. The cloud  
181 probability values are collected without applying neither a threshold nor dilation. This resource is available in the  
182 "COPERNICUS/S2\_CLOUD\_PROBABILITY" GEE dataset.
- 183 • CD-FCNN: U-Net with two different SEN2 band combinations<sup>23</sup>: RGBI (B2, B3, B4, and B8) and RGBISWIR (B2, B3,  
184 B4, B8, B11, and B12) trained on the Landsat Biome-8 dataset (transfer learning<sup>51,52</sup> from Landsat 8 to Sentinel-2).
- 185 • KappaMask: U-Net with two distinct settings<sup>53</sup>: all Sentinel-2 L1C bands and all Sentinel-2 L2A bands except the Red  
186 Edge 3 band. It was trained using both Sentinel-2 KappaZeta Cloud and Cloud Shadow Masks and the Sentinel-2 Cloud  
187 Mask Catalogue (see Table 1).
- 188 • QA60: Cloud mask embedded in the quality assurance band of SEN2 Level-1C products.

189 Table 5 shows the cloud semantic categories for the different CD techniques available in CloudSEN12. It should be noted  
190 that only four CD algorithms provide the cloud shadow category.

## 191 Preparing CloudSEN12 for machine learning

192 Splitting our densely annotated dataset into train and test sets is critical to ensure that ML practitioners always use the same  
193 samples when providing results. Since cloud formation tends to fluctuate smoothly throughout space, a simple random split is  
194 suspicious to violate the assumption of test independence, especially under highly clustered labeled areas, such as the green and  
195 yellow regions shown in Figure 1. Therefore, we carry out a spatially stratified block split strategy<sup>54</sup>, based on Roberts et al.<sup>55</sup>,  
196 to limit the risk of overfitting induced by spatial autocorrelation. First, we divided the Earth’s surface into regular hexagons  
197 of 50,000 km<sup>2</sup>. Then, the initial hexagons are filtered, retaining only those intersecting with the high-quality dataset. Finally,  
198 using the difficulty IP property (see Table 3), we randomly stratified the remained hexagon blocks using 90% (1827 ROIs) and  
199 10% (173 ROIs) for training and testing, respectively (Figure 8). Notice that on each ROI, we have five IPs hence the total  
200 amount of training and testing data is five times these numbers. The unlabeled and scribble datasets might be used as additional  
201 inputs for the training phase.

## 202 Data Records

203 The dataset is available online via Zenodo at <https://zenodo.org/record/7034410>. We defined an IP as the primary atomic unit,  
204 representing a single spatio-temporal component. Each IP has 49 assets (see Table 2) and 31 properties (see Table 4). All the  
205 assets are delivered in the form of LZW-compressed COG (Cloud Optimized GeoTIFF) files. COG is an imagery format for  
206 web-optimized access to raster data. It has a specific internal pixel structure that allows clients to request just specified areas of  
207 a large image by submitting HTTP range requests<sup>56</sup>. The IP properties are shared using the SpatioTemporal Asset Catalog  
208 (STAC) specification. STAC provides a straightforward architecture for reading metadata and assets in JSON format, providing  
209 users with a sophisticated browsing experience seamlessly integrating with modern scripting languages and front-end web  
210 technologies.

211 CloudSEN12 assets, as seen in Figure 10, are organized into four levels. The top level includes three folders: high, scribble,  
212 and no-label. These folders correspond to the annotation categories high-quality (2000 ROIs), scribble (2000 ROIs), and no  
213 annotation (5880 ROIs), respectively. In the second level, the folders included data pertaining to a specific geographic location  
214 (ROI). The folder name is the ROI ID (Figure 10b). Since an ROI consists of five IPs at different cloud covers, each ROI folder  
215 is subdivided into five folders whose names match the GEE Sentinel-2 product ID of the specific IP (Figure 10c). Finally, each  
216 IP folder stores the information detailed in Table 2 (Fig. 10d).

## 217 Technical Validation

### 218 Neural network architecture

219 In order to demonstrate cloudSEN12’s effectiveness in developing DD models, we trained a U-Net<sup>57</sup> network with a Mo-  
220 bileNetV2<sup>58</sup> backbone (UNetMobV2) using only the high-quality pixel-level annotation set. U-Net models often have  
221 considerable memory requirements since the encoder and decoder components include skip connections of large tensors.  
222 However, the MobileNetV2 encoder significantly decreases memory utilization due to the use of depthwise separable con-  
223 volutions and inverted residuals. The entire memory requirements of our model, considering a batch with a single image  
224 ( $1 \times 13 \times 512 \times 512$ ), the forward/backward pass, and model parameters, is less than 1 GB using the PyTorch deep learning  
225 library<sup>59</sup>. The implementation of the proposed model can be found at <https://github.com/cloudsen12/models>.

226 The high-quality set is split into training, validation, and test sets. First, we obtain the test and no-test set using the previous  
227 geographical blocks. Then, the no-test set is randomly divided into training and validation sets according to the ratio of 90/10 %.  
228 The U-Net network is trained considering all the SEN2 L1C bands with a batch size of 32, Adam optimizer with a learning rate  
229 of  $10^{-3}$ , and the standard cross-entropy as loss function. During the training phase, the learning rate is lowered by a factor of  
230 0.10 if the cross-entropy measured in the validation set does not improve in four epochs. Lastly, if the model does not improve  
231 after ten epochs, the model with the lowest cross-entropy value in the validation set is chosen.

### 232 Benchmarking strategy

233 CloudSEN12’s suitability for benchmarking cloud and cloud shadow is discussed in this section. In order to maintain fairness,  
234 we only consider the 975 IPs available in the test set. We assessed the similarity between the semantic categories (Table 3)  
235 from CD models (automatic) and manual annotations through three experiments. First, we created the "cloud" and "non-cloud"  
236 superclasses (Table 3) that aggregate thick and thin cloud and clear and cloud shadows classes, respectively. In the second  
237 experiment, cloud shadows are validated by considering four algorithms: UNetMobV2, KappaMask, Fmask, and Sen2Cor,  
238 as not all algorithms are capable of detecting cloud shadows (Table 5). Finally, in the third experiment, "valid" and "invalid"  
239 superclasses (Table 3) are also analyzed just for algorithms with cloud shadow detection. In all the experiments, human-level  
240 performance is included by comparing manual annotations before and after the quality control procedure (see section quality

control phase). We report producer’s accuracy (PA), user’s accuracy (UA), and balanced overall accuracy (BOA) as metrics to assess the disparities between predicted and expected pixels:

$$PA = \frac{TP}{TP+FN} \quad UA = \frac{TP}{TP+FP} \quad BOA = 0.5 \left( PA + \frac{TN}{TN+FP} \right) \quad (1)$$

Where  $TP$ ,  $TN$ ,  $FP$ , and  $FN$  denote true positive, true negative, false positive, and false negative. High PA values show that cloud pixels have been effectively masked out (clear-sky conservative approaches). In contrast, high UA values indicate that the algorithm is cautious in excluding non-cloud pixels (conservative cloud approaches). High BOA values are related to a good balance of false positives and false negatives. We generate a unique set of PA, UA, and BOA values for each test IP. Since the PA and UA values are always zero in cloudless IPs, they were replaced by NaN to prevent negative bias in the results. Then to report the summarized PA and UA metrics (Table 6), we consider the following three scenarios: i) low values group ( $PA_{low}\%$  and  $UA_{low}\%$ ), which represents the percentage of IPs with PA/UA values lower than 0.1; ii) middle values group ( $PA_{middle}\%$  and  $UA_{middle}\%$ ) which represents the percentage of IPs between 0.1 and 0.9; iii) high values group ( $PA_{high}\%$  and  $UA_{high}\%$ ) which represents the percentage of total IPs higher than 0.9. In contrast to UA and PA, we calculate the median of all IPs for BOA estimates.

### Cloud vs non-cloud

Figure 9 and Table 6a show BOA, PA, and UA density error curves and summary statistics for the first experiment. Excluding UNetMobV2 results, BOA and PA values exhibited a well-defined binomial error distribution with peak modes of different intensities. We found that the mode of the secondary peak is close to 0.5 and 0 for BOA and PA, respectively. Considering the three algorithms with the highest BOA, we found that this secondary distribution contains at least 3.86 % of the total IPs (see  $PA_{low}$  in Table 6a) and 38.83 % of the IPs fall between the transition of these two distributions (see  $PA_{middle}$  in Table 6a). A simple visual examination reveals that the omission of small and thin clouds is the primary cause of  $PA_{low}$  values, whereas  $PA_{middle}$  is mainly attributable to cloud borders misinterpretation. Low-thickness clouds, such as cirrus and haze, tend to produce more omission errors independent of the cloud detection algorithm. In KD algorithms, this can be explained by the simplicity of semitransparent cloud modules, which are just a conservative threshold in the cirrus band (B10). Additionally, thin clouds are often overlooked or unfairly reported in most CD datasets<sup>60</sup>. In the primary distribution, the peak’s mode is close to 0.90 and 0.95 for BOA and PA values, holding the 57.31 % of the IPs (see  $PA_{high}$  in Table 6a). These results suggest that more than half of the IPs in CloudSEN12 are easily recognizable by automatic cloud masking algorithms.

Figure 9 demonstrates furthermore that not all algorithms exhibit the same behavior. Based on the PA and UA metrics, we may differentiate between three types of algorithms: quite balanced (UNetMobV2, Fmask, and KappaMask L1C), cloud conservative (CD-FCNN, QA60, s2cloudless, and Sen2Cor), and non-cloud conservative (KappaMask L2A). The first group reports similar values between  $PA_{high}$  and  $UA_{high}$  percentages. In contrast, the second group exhibits high UA values at the expense of worsening PA. As observed in the PA headline plot, these algorithms show a pronounced bimodal distribution and a wide interquartile range, with more than half of the IPs exhibiting PA values below 0.5. Considering the high temporal resolution of SEN2 imagery, it seems unsuitable to use cloud-conservative algorithms for CD, except maybe for extremely cloudy regions where each clear pixel is critical<sup>60</sup>. On the other hand, in non-cloud conservative algorithms, over half of all IPs have PA values greater than 0.9 (see column  $PA_{high}$  in Table 6a), but as a result, the  $UA_{high}$  metric decrease significantly.

Based on BOA estimates (see column BOA in Table 6a), we may conclude that QA60 is the most unreliable algorithm, failing to distinguish both cloud and non-cloud pixels. Whereas UNetMobV2 is clearly the best at detecting clouds, even semitransparent and small clouds, that other algorithms usually overlook. Although the UNetMobV2 and KappaMask are based on a similar network, we observe that KappaMask (in particular version 2A) tends to overestimate clouds under specific land cover types, such as mountains, open/enclosed water bodies, and coastal environments. Considering that the L1C and L2A versions of KappaMask are fine-tuned on a relatively small dataset from Northern Europe, it is expected that fine-tuning in CloudSEN12 should lead to better results on a global evaluation. Finally, we can conclude that UNetMobV2, Fmask, and KappaMask level 1C provide the most stable solution for cloud masking, with inaccuracies evenly distributed across different cloud types and land covers.

### Cloud shadows

Quantitative evaluations of cloud shadow detection on CloudSEN12 are presented in Table 6b. The percentage of IPs with PA values  $< 0.1$  ( $PA_{low}$ ) ranges from 64.50 % for Sen2Cor to 8.88 % for UNetMobV2, indicating that a large number of cloud shadow pixels are omitted in all the algorithms. In contrast to the cloud/no-cloud experiment, the vast majority of IPs belong to the  $PA_{middle}$  and  $UA_{middle}$  groups, except for Sen2Cor, which belongs to the  $PA_{low}$  group. The  $PA_{high}$  percentage value was unexpectedly low, suggesting that the ground truth and predicted values rarely collocate perfectly over the same

290 area. Comparing the results of the first and second experiments reveals that correctly detecting thick and thin clouds is not  
291 guaranteed for achieving a high PA score in cloud shadows. Besides, our results suggest that DL-based approaches (KappaMask  
292 and UNetMobV2) outperform KD algorithms (Sen2Cor and Fmask). This seems reasonable, given that KappaMask and  
293 UNetMobV2 are built on a multi-resolution model. Hence, it is probable that the model learns to identify the spatial coherence  
294 between clouds and cloud shadows classes.

### 295 **Valid vs invalid**

296 In this section, we examine the combined detection of cloud and cloud shadows of five automatic CD algorithms (see Table 6c).  
297 The reported metrics show a slight decrease in the  $PA_{high}$  values of Fmask, Sen2Cor, and KappaMask L1C models compared  
298 to the first experiment. Consequently, the KappaMask L2A model significantly lowers its  $PA_{high}$  value from 65.25 to 57.66  
299 %, indicating that this model tends to confuse cloud shadow with clear pixels. In contrast, UNetMobV2 slightly increased its  
300 reported  $PA_{high}$  value from 68.60 to 70.66 %. This is explained by the fact that UNetMobV2 tends to err thin cloud pixels  
301 with cloud shadows and vice versa, and since both belong to the same superclass in this experiment, these inconsistencies are  
302 considered true positives. Finally, further studies are required to identify the circumstances in which CD algorithms depart most  
303 from human-level performance to deliver superior automatic CD algorithms.

### 304 **Discussion of experimental results**

305 In the three experiments, UNetMobV2 delivers the best balance between false negative and false positive errors. These  
306 outcomes are expected due to the more extensive and diverse image patches utilized during training. However, because deep  
307 learning models are prone to handle target shift poorly, the use of other datasets (e.g., PixBox<sup>61</sup> or Hollstein<sup>28</sup>) might aid in  
308 corroborating these findings. Furthermore, the Sen2Cor results are estimated without considering changes between different  
309 versions (Figure S3). Therefore, the values reported here could vary from those obtained using only the latest version (version  
310 2.10, accessed on 9 July 2022). In addition, it is important to note that, in contrast to FMask and Sen2Cor, KappaMask and  
311 UNetMobV2 results are produced without image boundary data. Therefore, expanding the IP size might improve the reported  
312 metrics, particularly for the cloud shadows experiment.

### 313 **Usage Notes**

314 This paper introduces CloudSEN12, a new large dataset for cloud semantic understanding, comprising 49,400 image patches  
315 distributed across all continents except Antarctica. The dataset has a total size of up to 1 TB. Nevertheless, we assume most  
316 user experiments need only a fraction of CloudSEN12. Therefore, to simplify its use, we developed a Python package called  
317 *cloudsen12* (<https://github.com/cloudsen12/cloudsen12>). This Python package aims to help machine learning and remote  
318 sensing practitioners to:

- 319 • Query and download cloudSEN12 using a user-friendly interface.
- 320 • Predict cloud semantics using the trained UNetMobV2 model.

321 The CloudSEN12 website <https://cloudsen12.github.io/> includes tutorials for querying and downloading the dataset using  
322 the *cloudsen12* package. Besides, there are examples of how to train DL models using PyTorch. Finally, although CloudSEN12  
323 was initially designed for cloud semantic segmentation, it can be easily adapted to tackle other remote sensing problems like  
324 SAR-sharpening<sup>62</sup>, colorizing SAR images<sup>63</sup>, and SAR-optical image matching<sup>64</sup>. Furthermore, by combining CloudSEN12  
325 with ESA WorldCover 10m v100, users may train land cover models to be aware of cloud contamination.

### 326 **Code availability**

327 The code to (1) create the raw CloudSEN12 imagery dataset, (2) download assets associated to each ROI, (3) create the manual  
328 annotations, (4) build and deploy cloudApp, (5) generate automatic cloud masking, (6) reproduce all the figures, (7) replicate  
329 the technical validation, (8) modify *cloudsen12* Python package, and (9) train DL models is available in our Github organization  
330 <https://github.com/cloudsen12/>.

### 331 **References**

- 332 1. Mahecha, M. D. *et al.* Earth system data cubes unravel global multivariate dynamics. *Earth Syst. Dyn.* **11**, 201–234,  
333 [10.5194/esd-11-201-2020](https://doi.org/10.5194/esd-11-201-2020) (2020).
- 334 2. Giuliani, G., Camara, G., Killough, B. & Minchin, S. Earth observation open science: enhancing reproducible science  
335 using data cubes. *Data* **4**, 4–9, [10.3390/data4040147](https://doi.org/10.3390/data4040147) (2019).

- 336 3. Gomes, V. C., Queiroz, G. R. & Ferreira, K. R. An overview of platforms for big earth observation data management and  
337 analysis. *Remote. Sens.* **12**, 1–25, [10.3390/RS12081253](https://doi.org/10.3390/RS12081253) (2020).
- 338 4. Wilson, A. M. & Jetz, W. Remotely Sensed High-Resolution Global Cloud Dynamics for Predicting Ecosystem and  
339 Biodiversity Distributions. *PLoS Biol.* **14**, 1–20, [10.1371/journal.pbio.1002415](https://doi.org/10.1371/journal.pbio.1002415) (2016).
- 340 5. Ebel, P., Meraner, A., Schmitt, M. & Zhu, X. X. Multi-sensor data fusion for cloud removal in global and all-season  
341 sentinel-2 imagery. *arXiv* 1–13, [10.1109/tgrs.2020.3024744](https://arxiv.org/abs/2009.07683) (2020). [2009.07683](https://arxiv.org/abs/2009.07683).
- 342 6. Lynch, D. K., Sassen, K., Starr, D. O. & Stephens, G. *Cirrus* (Oxford University Press, 2002).
- 343 7. Chen, B., Huang, B., Chen, L. & Xu, B. Spatially and Temporally Weighted Regression: A Novel Method to Produce  
344 Continuous Cloud-Free Landsat Imagery. *IEEE Transactions on Geosci. Remote. Sens.* **55**, 27–37, [10.1109/TGRS.2016.](https://doi.org/10.1109/TGRS.2016.2580576)  
345 [2580576](https://doi.org/10.1109/TGRS.2016.2580576) (2017).
- 346 8. Mateo-Garcia, G. *et al.* Towards global flood mapping onboard low cost satellites with machine learning. *Sci. Reports* **11**,  
347 7249, [10.1038/s41598-021-86650-z](https://doi.org/10.1038/s41598-021-86650-z) (2021).
- 348 9. Qiu, S., Zhu, Z. & Woodcock, C. E. Cirrus clouds that adversely affect Landsat 8 images: What are they and how to detect  
349 them? *Remote. Sens. Environ.* **246**, 111884, [10.1016/j.rse.2020.111884](https://doi.org/10.1016/j.rse.2020.111884) (2020).
- 350 10. Foga, S. *et al.* Cloud detection algorithm comparison and validation for operational Landsat data products. *Remote. Sens.*  
351 *Environ.* **194**, 379–390, [10.1016/j.rse.2017.03.026](https://doi.org/10.1016/j.rse.2017.03.026) (2017).
- 352 11. Qiu, S., Zhu, Z. & He, B. Remote Sensing of Environment Fmask 4. 0 : Improved cloud and cloud shadow detection in  
353 Landsats 4 – 8 and Sentinel-2 imagery. *Remote. Sens. Environ.* **231**, 111205, [10.1016/j.rse.2019.05.024](https://doi.org/10.1016/j.rse.2019.05.024) (2019).
- 354 12. Louis, J. *et al.* Sentinel-2 SEN2COR: L2A processor for users. *Eur. Space Agency, (Special Publ. ESA SP SP-740*, 9–13  
355 (2016).
- 356 13. Sanchez, A. H. *et al.* Comparison of Cloud Cover Detection Algorithms on Sentinel–2 Images of the Amazon Tropical  
357 Forest. *Remote. Sens.* **12**, 1284, [10.3390/rs12081284](https://doi.org/10.3390/rs12081284) (2020).
- 358 14. Zekoll, V. *et al.* Comparison of masking algorithms for sentinel-2 imagery. *Remote. Sens.* **13**, 1–21, [10.3390/rs13010137](https://doi.org/10.3390/rs13010137)  
359 (2021).
- 360 15. Cilli, R. *et al.* Machine Learning for Cloud Detection of Globally Distributed Sentinel-2 Images. *Remote. Sens.* **12**, 2355,  
361 [10.3390/rs12152355](https://doi.org/10.3390/rs12152355) (2020).
- 362 16. Melchiorre, A., Boschetti, L. & Roy, D. P. Global evaluation of the suitability of MODIS-Terra detected cloud cover as a  
363 proxy for Landsat 7 cloud conditions. *Remote. Sens.* **12**, 1–16, [10.3390/rs12020202](https://doi.org/10.3390/rs12020202) (2020).
- 364 17. Stillinger, T., Roberts, D. A., Collar, N. M. & Dozier, J. Cloud Masking for Landsat 8 and MODIS Terra Over Snow-  
365 Covered Terrain: Error Analysis and Spectral Similarity Between Snow and Cloud. *Water Resour. Res.* **55**, 6169–6184,  
366 [10.1029/2019WR024932](https://doi.org/10.1029/2019WR024932) (2019).
- 367 18. Zhu, X. X. *et al.* Deep Learning in Remote Sensing: A Comprehensive Review and List of Resources. *IEEE Geosci.*  
368 *Remote. Sens. Mag.* **5**, 8–36, [10.1109/MGRS.2017.2762307](https://doi.org/10.1109/MGRS.2017.2762307) (2017).
- 369 19. Wei, J. *et al.* Cloud detection for Landsat imagery by combining the random forest and superpixels extracted via  
370 energy-driven sampling segmentation approaches. *Remote. Sens. Environ.* **248**, 112005, [10.1016/j.rse.2020.112005](https://doi.org/10.1016/j.rse.2020.112005) (2020).
- 371 20. Bai, T., Li, D., Sun, K., Chen, Y. & Li, W. Cloud detection for high-resolution satellite imagery using machine learning  
372 and multi-feature fusion. *Remote. Sens.* **8**, 1–21, [10.3390/rs8090715](https://doi.org/10.3390/rs8090715) (2016).
- 373 21. Ghasemian, N. & Akhoondzadeh, M. Introducing two Random Forest based methods for cloud detection in remote sensing  
374 images. *Adv. Space Res.* **62**, 288–303, [10.1016/j.asr.2018.04.030](https://doi.org/10.1016/j.asr.2018.04.030) (2018).
- 375 22. Zupanc, A. Improving Cloud Detection with Machine Learning (2017).
- 376 23. López-Puigdollers, D., Mateo-García, G. & Gómez-Chova, L. Benchmarking deep learning models for cloud detection in  
377 landsat-8 and sentinel-2 images. *Remote. Sens.* **13**, 1–20, [10.3390/rs13050992](https://doi.org/10.3390/rs13050992) (2021).
- 378 24. Skakun, S. *et al.* Cloud Mask Intercomparison eXercise (CMIX): An evaluation of cloud masking algorithms for Landsat 8  
379 and Sentinel-2. *Remote. Sens. Environ.* **274**, 112990, [10.1016/j.rse.2022.112990](https://doi.org/10.1016/j.rse.2022.112990) (2022).
- 380 25. Li, L., Li, X., Jiang, L., Su, X. & Chen, F. A review on deep learning techniques for cloud detection methodologies and  
381 challenges. *Signal, Image Video Process.* [10.1007/s11760-021-01885-7](https://doi.org/10.1007/s11760-021-01885-7) (2021).
- 382 26. Mahajan, S. & Fataniya, B. Cloud detection methodologies: variants and development—a review. *Complex & Intell. Syst.*  
383 **6**, 251–261, [10.1007/s40747-019-00128-0](https://doi.org/10.1007/s40747-019-00128-0) (2020).



- 384 **27.** Hughes, M. J. & Kennedy, R. High-quality cloud masking of landsat 8 imagery using convolutional neural networks.  
385 *Remote. Sens.* **11**, [10.3390/rs11212591](https://doi.org/10.3390/rs11212591) (2019).
- 386 **28.** Hollstein, A., Segl, K., Guanter, L., Brell, M. & Enesco, M. Ready-to-use methods for the detection of clouds, cirrus, snow,  
387 shadow, water and clear sky pixels in Sentinel-2 MSI images. *Remote. Sens.* **8**, 1–18, [10.3390/rs8080666](https://doi.org/10.3390/rs8080666) (2016).
- 388 **29.** Mohajerani, S. & Saeedi, P. Cloud-Net: An End-To-End Cloud Detection Algorithm for Landsat 8 Imagery. *Int. Geosci.*  
389 *Remote. Sens. Symp. (IGARSS)* 1029–1032, [10.1109/IGARSS.2019.8898776](https://doi.org/10.1109/IGARSS.2019.8898776) (2019). [1901.10077](https://doi.org/1901.10077).
- 390 **30.** Baetens, L., Desjardins, C. & Hagolle, O. Validation of copernicus Sentinel-2 cloud masks obtained from MAJA, Sen2Cor,  
391 and FMask processors using reference cloud masks generated with a supervised active learning procedure. *Remote. Sens.*  
392 **11**, 1–25, [10.3390/rs11040433](https://doi.org/10.3390/rs11040433) (2019).
- 393 **31.** Mohajerani, S. & Saeedi, P. Cloud-Net+: A cloud segmentation CNN for landsat 8 remote sensing imagery optimized with  
394 filtered jaccard loss function. *arXiv* 1–12 (2020). [2001.08768](https://arxiv.org/abs/2001.08768).
- 395 **32.** Francis, A., Mrziglod, J., Sidiropoulos, P. & Muller, J.-P. Sentinel-2 Cloud Mask Catalogue, [10.5281/zenodo.4172871](https://doi.org/10.5281/zenodo.4172871)  
396 (2020).
- 397 **33.** Cordts, M. *et al.* The Cityscapes Dataset for Semantic Urban Scene Understanding. *Proc. IEEE Comput. Soc. Conf. on*  
398 *Comput. Vis. Pattern Recognit.* **2016-Decem**, 3213–3223, [10.1109/CVPR.2016.350](https://doi.org/10.1109/CVPR.2016.350) (2016). [1604.01685](https://arxiv.org/abs/1604.01685).
- 399 **34.** Zhu, X. X. *et al.* So2Sat LCZ42: A Benchmark Dataset for Global Local Climate Zones Classification. *arXiv* **14**, 2–13  
400 (2019). [1912.12171](https://arxiv.org/abs/1912.12171).
- 401 **35.** Meraner, A., Ebel, P., Zhu, X. X. & Schmitt, M. Cloud removal in Sentinel-2 imagery using a deep residual neural network  
402 and SAR-optical data fusion. *ISPRS J. Photogramm. Remote. Sens.* **166**, 333–346, [10.1016/j.isprsjprs.2020.05.013](https://doi.org/10.1016/j.isprsjprs.2020.05.013) (2020).
- 403 **36.** Singh, P. & Komodakis, N. Cloud-GAN: Cloud removal for sentinel-2 imagery using a cyclic consistent generative  
404 adversarial networks. *Int. Geosci. Remote. Sens. Symp. (IGARSS)* **2018-July**, 1772–1775, [10.1109/IGARSS.2018.8519033](https://doi.org/10.1109/IGARSS.2018.8519033)  
405 (2018).
- 406 **37.** Gorelick, N. *et al.* Google Earth Engine: Planetary-scale geospatial analysis for everyone. *Remote. Sens. Environ.* **202**,  
407 18–27, [10.1016/j.rse.2017.06.031](https://doi.org/10.1016/j.rse.2017.06.031) (2017).
- 408 **38.** Yamazaki, D. *et al.* MERIT Hydro: A High-Resolution Global Hydrography Map Based on Latest Topography Dataset.  
409 *Water Resour. Res.* **55**, 5053–5073, [10.1029/2019WR024873](https://doi.org/10.1029/2019WR024873) (2019).
- 410 **39.** Pekel, J. F., Cottam, A., Gorelick, N. & Belward, A. S. High-resolution mapping of global surface water and its long-term  
411 changes. *Nature* **540**, 418–422, [10.1038/nature20584](https://doi.org/10.1038/nature20584) (2016).
- 412 **40.** Buchhorn, M. *et al.* Copernicus Global Land Service: Land Cover 100m: Collection 3: epoch 2015: Globe (Version  
413 V3.0.1). *Zenodo* 1–14 (2020).
- 414 **41.** Frantz, D., Haß, E., Uhl, A., Stoffels, J. & Hill, J. Improvement of the Fmask algorithm for Sentinel-2 images: Separating  
415 clouds from bright surfaces based on parallax effects. *Remote. Sens. Environ.* **215**, 471–481, [10.1016/j.rse.2018.04.046](https://doi.org/10.1016/j.rse.2018.04.046)  
416 (2018).
- 417 **42.** Fernandez-Moran, R., Gómez-Chova, L., Alonso, L., Mateo-García, G. & López-Puigdollers, D. Towards a novel approach  
418 for Sentinel-3 synergistic OLCI/SLSTR cloud and cloud shadow detection based on stereo cloud-top height estimation.  
419 *ISPRS J. Photogramm. Remote. Sens.* **181**, 238–253, [10.1016/j.isprsjprs.2021.09.013](https://doi.org/10.1016/j.isprsjprs.2021.09.013) (2021).
- 420 **43.** Tiede, D., Sudmanns, M., Augustin, H. & Baraldi, A. Investigating ESA Sentinel-2 products' systematic cloud cover  
421 overestimation in very high altitude areas. *Remote. Sens. Environ.* **252**, 112163, [10.1016/j.rse.2020.112163](https://doi.org/10.1016/j.rse.2020.112163) (2021).
- 422 **44.** Rittger, K. *et al.* Canopy Adjustment and Improved Cloud Detection for Remotely Sensed Snow Cover Mapping. *Water*  
423 *Resour. Res.* **56**, 1–20, [10.1029/2019WR024914](https://doi.org/10.1029/2019WR024914) (2020).
- 424 **45.** Castillo-Navarro, J., Saux, B. L., Boulch, A., Audebert, N. & Lefèvre, S. Semi-Supervised Semantic Segmentation in  
425 Earth Observation: The MiniFrance Suite, Dataset Analysis and Multi-task Network Study. *arxiv* (2020). [2010.07830](https://arxiv.org/abs/2010.07830).
- 426 **46.** Li, Y. *et al.* Accurate cloud detection in high-resolution remote sensing imagery by weakly supervised deep learning.  
427 *Remote. Sens. Environ.* **250**, 112045, [10.1016/j.rse.2020.112045](https://doi.org/10.1016/j.rse.2020.112045) (2020).
- 428 **47.** Valdez, C., Ziefle, M. & Sedlmair, M. A Framework for Studying Biases in Visualization Research. *VIS 2017: Deal. with*  
429 *Cogn. Biases Vis.* (2017).
- 430 **48.** Mrziglod, J. IRIS - Intelligence foR Image Segmentation (2019).
- 431 **49.** Mejia, F. A. *et al.* Coupling sky images with radiative transfer models: a new method to estimate cloud optical depth.  
432 *Atmospheric Meas. Tech.* **9**, 4151–4165 (2016).

- 433 **50.** Ke, G. *et al.* LightGBM: A Highly Efficient Gradient Boosting Decision Tree. In Guyon, I. *et al.* (eds.) *Advances in Neural*  
434 *Information Processing Systems*, vol. 30 (2017).
- 435 **51.** Mateo-García, G., Laparra, V., López-Puigdollers, D. & Gómez-Chova, L. Transferring deep learning models for  
436 cloud detection between Landsat-8 and Proba-V. *ISPRS Journal of Photogrammetry and Remote Sensing* **160**, 1–17,  
437 [10.1016/j.isprsjprs.2019.11.024](https://doi.org/10.1016/j.isprsjprs.2019.11.024) (2020).
- 438 **52.** Mateo-García, G., Laparra, V., López-Puigdollers, D. & Gómez-Chova, L. Cross-Sensor Adversarial Domain Adaptation  
439 of Landsat-8 and Proba-V Images for Cloud Detection. *IEEE J. Sel. Top. Appl. Earth Obs. Remote. Sens.* **14**, 747–761,  
440 [10.1109/JSTARS.2020.3031741](https://doi.org/10.1109/JSTARS.2020.3031741) (2021).
- 441 **53.** Domnich, M. *et al.* KappaMask: Ai-based cloudmask processor for sentinel-2. *Remote. Sens.* **13**, [10.3390/rs13204100](https://doi.org/10.3390/rs13204100)  
442 (2021).
- 443 **54.** Valavi, R., Elith, J., Lahoz-Monfort, J. J. & Guillera-Arroita, G. blockCV: An r package for generating spatially or  
444 environmentally separated folds for k-fold cross-validation of species distribution models. *Methods Ecol. Evol.* **10**,  
445 225–232, [10.1111/2041-210X.13107](https://doi.org/10.1111/2041-210X.13107) (2019).
- 446 **55.** Roberts, D. R. *et al.* Cross-validation strategies for data with temporal, spatial, hierarchical, or phylogenetic structure.  
447 *Ecography* **40**, 913–929, [10.1111/ecog.02881](https://doi.org/10.1111/ecog.02881) (2017).
- 448 **56.** Iosifescu Enescu, I. *et al.* Cloud optimized raster encoding (core): A web-native streamable format for large environmental  
449 time series. *Geomatics* **1**, 369–382 (2021).
- 450 **57.** Ronneberger, O., Fischer, P. & Brox, T. U-net: Convolutional networks for biomedical image segmentation. In *International*  
451 *Conference on Medical image computing and computer-assisted intervention*, 234–241 (Springer, 2015).
- 452 **58.** Sandler, M., Howard, A., Zhu, M., Zhmoginov, A. & Chen, L.-C. Mobilenetv2: Inverted residuals and linear bottlenecks.  
453 In *Proceedings of the IEEE conference on computer vision and pattern recognition*, 4510–4520 (2018).
- 454 **59.** Paszke, A. *et al.* Pytorch: An imperative style, high-performance deep learning library. In Wallach, H. *et al.* (eds.) *Advances*  
455 *in Neural Information Processing Systems* **32**, 8024–8035 (Curran Associates, Inc., 2019).
- 456 **60.** European Space Agency. CEOS-WGCV ACIX II CMIX Atmospheric Correction Inter-comparison Exercise Cloud  
457 Masking Inter-comparison Exercise 2nd workshop (2019). Online; accessed 14 October 2021.
- 458 **61.** Paperin, M., Wevers, J., Stelzer, K. & Brockmann, C. PixBox Sentinel-2 pixel collection for CMIX, [10.5281/zenodo.](https://doi.org/10.5281/zenodo.5036991)  
459 [5036991](https://doi.org/10.5281/zenodo.5036991) (2021).
- 460 **62.** Schmitt, A. & Wendleder, A. SAR-sharpening in the Kennaugh framework applied to the fusion of multi-modal SAR and op-  
461 tical images. *ISPRS Annals Photogramm. Remote. Sens. Spatial Inf. Sci.* **4**, 133–140, [10.5194/isprs-annals-IV-1-133-2018](https://doi.org/10.5194/isprs-annals-IV-1-133-2018)  
462 (2018).
- 463 **63.** Schmitt, M., Hughes, L. H., Körner, M. & Zhu, X. X. Colorizing sentinel-1 SAR images using a variational autoencoder  
464 conditioned on Sentinel-2 imagery. *Int. Arch. Photogramm. Remote. Sens. Spatial Inf. Sci. - ISPRS Arch.* **42**, 1045–1051,  
465 [10.5194/isprs-archives-XLII-2-1045-2018](https://doi.org/10.5194/isprs-archives-XLII-2-1045-2018) (2018).
- 466 **64.** Hughes, L. H., Schmitt, M., Mou, L., Wang, Y. & Zhu, X. X. Identifying Corresponding Patches in SAR and Optical  
467 Images with a Pseudo-Siamese CNN. *IEEE Geosci. Remote. Sens. Lett.* **15**, 784–788, [10.1109/LGRS.2018.2799232](https://doi.org/10.1109/LGRS.2018.2799232) (2018).  
468 [1801.08467](https://doi.org/10.1109/LGRS.2018.2799232).
- 469 **65.** Aybar, C., Wu, Q., Bautista, L., Yali, R. & Barja, A. rgee: An R package for interacting with Google Earth Engine. *J.*  
470 *Open Source Softw.* **5**, 2272, [10.21105/joss.02272](https://doi.org/10.21105/joss.02272) (2020).
- 471 **66.** Pebesma, E. Simple features for R: Standardized support for spatial vector data. *R J.* **10**, 439–446, [10.32614/rj-2018-009](https://doi.org/10.32614/rj-2018-009)  
472 (2018).
- 473 **67.** Hijmans, R. J. *et al.* Package ‘raster’. *R package* **734** (2015).
- 474 **68.** Pebesma, E. stars: Spatiotemporal arrays, raster and vector data cubes. *R package version 0.4–1 ed2020* [https://CRAN.](https://CRAN.R-project.org/package=stars)  
475 [R-project.org/package= stars](https://CRAN.R-project.org/package=stars) (2020).
- 476 **69.** Harris, C. R. *et al.* Array programming with numpy. *Nature* **585**, 357–362 (2020).
- 477 **70.** Grolemund, G. & Wickham, H. Dates and times made easy with lubridate. *J. statistical software* **40**, 1–25 (2011).
- 478 **71.** Ushey, K. *et al.* reticulate: Interface to python. *R package version* **1**, 16 (2020).
- 479 **72.** Wickham, H., Francios, R., Henry, L. & Muller, K. Dplyr: A fast, consistent tool for working with data frame like objects,  
480 both in memory and out of memory. *R package version 0.7* **6** (2014).

- 481 **73.** Tennekes, M. tmap: Thematic maps in r. *J. Stat. Softw.* **84**, 1–39 (2018).
- 482 **74.** Ooms, J. magick: Advanced graphics and image-processing in r. *R package version 2* (2020).
- 483 **75.** Wilke, C. O. ggrridges: ridgeline plots in ‘ggplot2’. *R package version 0.5 1* (2018).
- 484 **76.** Wickham, H. ggplot2. *Wiley interdisciplinary reviews: computational statistics* **3**, 180–185 (2011).
- 485 **77.** Hughes, M. J. & Hayes, D. J. Automated detection of cloud and cloud shadow in single-date Landsat imagery using neural  
486 networks and spatial post-processing. *Remote. Sens.* **6**, 4907–4926, [10.3390/rs6064907](https://doi.org/10.3390/rs6064907) (2014).
- 487 **78.** Wu, Z., Li, J., Wang, Y., Hu, Z. & Molinier, M. Self-attentive generative adversarial network for cloud detection in high  
488 resolution remote sensing images. *IEEE Geosci. Remote. Sens. Lett.* **17**, 1792–1796 (2019).

## 489 Acknowledgements

490 This research was conducted during the master thesis of the first author, supported by the European scholarship to engage  
491 in the Master Copernicus in Digital Earth, an Erasmus Mundus Joint Master Degree (EMJMD, project reference: 599182-  
492 EPP-1-2018-1-AT-EPPKA1-JMD-MOB). The computational cost was partially covered by the Google Cloud Credits Research  
493 Grant Program with the award GCP19980904. This work was also partially supported by the Spanish Ministry of Science and  
494 Innovation (project PID2019-109026RB-I00, ERDF) and the Austrian Space Applications Programme within the SemantiX  
495 project (#878939, ASAP 16). The following R and Python packages were used in the course of this investigation and the  
496 authors wish to acknowledge their developers: “rgee”<sup>65</sup>, “sf”<sup>66</sup>, “raster”<sup>67</sup>, “stars”<sup>68</sup>, “numpy”<sup>69</sup>, “lubridate”<sup>70</sup>, “reticulate”<sup>71</sup>,  
497 “dplyr”<sup>72</sup>, “tmap”<sup>73</sup>, “magick”<sup>74</sup>, ggrridges<sup>75</sup>, and “ggplot2”<sup>76</sup>. The authors also thank to B.S. Joselyn Inga for their work  
498 reporting manual labeling errors in the quality control phase. Finally, the authors would like to thank Justin Braaten for  
499 developing “ee-rgb-timeseries” Earth Engine JavaScript module that served as the basis for creating Cloudapp.

## 500 Author contributions statement


501 C.A. led the publication, wrote the article, co-developed the CloudSEN12 methodology, designed the worldwide data processing  
502 system, participated in the quality control phase, and co-created the website and figures. R.Y., F.H., J.L., K.G., and L.Y. led the  
503 quality control and calibration phase, co-created the figures, and performed the manual labeling generation. D.M. reported  
504 manual labeling errors, contributed to the methodology, co-created CloudSEN12 Python package, and participated in the  
505 technical validation. L.B. created the GEE cloudApp, performed the manual labeling generation, co-created the CloudSEN12  
506 website, and participated in the quality control phase. G.M.G., L.G.C., D.T., and M.S. supervised the CloudSEN12 project,  
507 contributed to the methodology, and provided specialized advice. Besides, they reviewed the manuscript and participated in the  
508 quality control phase. L.D., A.F., W.E. and N.C. performed the manual labeling generation, participated in the quality control  
509 phase, and performed the statistical analysis. F.P. co-created the figures and participated in the quality control phase. V.LL  
510 report manual labeling errors and generate the metadata.

## 511 Figures & Tables

**Table 1.** Summary of publicly available CD datasets in comparison to CloudSEN12. An asterisk represents that the dataset does not distinguish the specific class.

Name	Main region	Labels	# of Scenes	Temporal	# of Pixels (10 <sup>9</sup> )	Thick Clouds %	Thin Clouds %	Cloud Shadows %	Clear %
L8-SPARCS <sup>77</sup>	worldwide	full-scene	80	No	0.080	19.37	*	7.37	73.26
S2-Hollstein <sup>28</sup>	Europe	polygons	59	No	0.003	16.06	16.49	4.53	62.92
L8-Biome8 <sup>10</sup>	worldwide	full-scene	96	No	3.964	33.19	14.71	1.55	50.55
L8-38Cloud <sup>29</sup>	USA	full-scene	38	No	1.494	52.36	*	*	47.64
S2-CESBIO <sup>30</sup>	Europe	full-scene	38	No	0.109	22.77 <sup>+</sup>	*	2.71	74.52
L8-95Cloud <sup>31</sup>	USA	full-scene	95	No	3.737	49.27	*	*	50.73
S2-cloudCatalog <sup>32</sup>	worldwide	partial scene	513	No	0.535	52.58	*	1.47	45.95
WHUS2-CD <sup>78</sup>	China	full-scene	32	No	4.273	13.50	*	*	86.50
KappaZeta <sup>53</sup>	Northern Europe	partial scene	155	No	1.064	34.37	19.21	8.36	38.05
<b>CloudSEN12</b>	<b>worldwide</b>	<b>partial scene</b>	<b>46697</b>	<b>Yes</b>	<b>4.697</b>	<b>15.50</b>	<b>5.52</b>	<b>5.24</b>	<b>73.73</b>

+ Low and high cloud classes were aggregated.



**Figure 1.** CloudSEN12 spatial coverage, purple-to-yellow color gradient represents the amount of manually annotated pixels per hexagon. The annotated pixels were collocated in an equal-area hexagonal discrete grid with a facet size of 140 km.

**Table 2.** List of assets available for each image patch.

File / Folder	Name	Scale	Wavelength	Description
S2L1C & S2L2A	B1	0.0001	443.9nm (S2A) / 442.3nm (S2B)	Aerosols.
	B2	0.0001	496.6nm (S2A) / 492.1nm (S2B)	Blue.
	B3	0.0001	560nm (S2A) / 559nm (S2B)	Green.
	B4	0.0001	664.5nm (S2A) / 665nm (S2B)	Red.
	B5	0.0001	703.9nm (S2A) / 703.8nm (S2B)	Red Edge 1.
	B6	0.0001	740.2nm (S2A) / 739.1nm (S2B)	Red Edge 2.
	B7	0.0001	782.5nm (S2A) / 779.7nm (S2B)	Red Edge 3.
	B8	0.0001	835.1nm (S2A) / 833nm (S2B)	NIR.
	B8A	0.0001	864.8nm (S2A) / 864nm (S2B)	Red Edge 4.
	B9	0.0001	945nm (S2A) / 943.2nm (S2B)	Water vapor.
	B11	0.0001	1613.7nm (S2A) / 1610.4nm (S2B)	SWIR 1.
	B12	0.0001	2202.4nm (S2A) / 2185.7nm (S2B)	SWIR 2.
S2L1C	B10	0.0001	1373.5nm (S2A) / 1376.9nm (S2B)	Cirrus.
S2L2A	AOT	0.001	-	Aerosol Optical Thickness.
	WVP	0.001	-	Water Vapor Pressure.
	TCL_R	1	-	True Color Image, Red.
	TCL_G	1	-	True Color Image, Green.
	TCL_B	1	-	True Color Image, Blue.
S1	VV	1	5.405GHz	Dual-band cross-polarization, vertical transmit/horizontal receive.
	VH	1	5.405GHz	Single co-polarization, vertical transmit/vertical receive.
	angle	1	-	Incidence angle generated by interpolating the 'incidenceAngle' property.
extra/	CDI	0.0001	-	Cloud Displacement Index <sup>41</sup> .
	Shwdirection	0.01	-	Azimuth. Values range from 0°- 360°.
	elevation	1	-	Elevation in meters. Obtained from MERIT Hydro datasets <sup>38</sup> .
	ocurrence	1	-	JRC Global Surface Water <sup>39</sup> . The frequency with which water was present.
	LC100	1	-	Copernicus land cover product. CGLS-LC100 Collection 3 <sup>40</sup> .
	LC10	1	-	ESA WorldCover 10m v100 product.
labels/	fmask <sup>11</sup>	1	-	Fmask4.0 cloud masking.
	QA60	1	-	SEN2 Level-1C cloud mask.
	s2cloudless <sup>22</sup>	1	-	sen2cloudless results.
	sen2cor	1	-	Scene Classification band. Obtained from SEN2 level 2A.
	CD-FCNN-RGBI	1	-	López-Puigdollers et al. <sup>23</sup> results based on RGBI bands.
	CD-FCNN-RGBISWIR	1	-	López-Puigdollers et al. <sup>23</sup> results based on RGBISWIR bands.
	kappamask_L1C	1	-	KappaMask <sup>53</sup> results using SEN2 level L1C as input.
	kappamask_L2A	1	-	KappaMask <sup>53</sup> results using SEN2 level L2A as input.
	manual_hq	1	-	High-quality pixel-wise manual annotation.
	manual_sc	1	-	Scribble manual annotation.

**Table 3.** Cloud semantic categories considered in CloudSEN12. Lower priority levels indicate greater relevance.

Code	Class	Superclass 1	Superclass 2	Description	Priority
0	Clear	non-cloud	valid	Pixels without cloud and cloud shadow contamination.	4
1	Thick Cloud	cloud	invalid	Opaque clouds that block all the reflectance from the Earth's surface.	1
2	Thin Cloud	cloud	invalid	Semitransparent cloud that alters the surface spectral signal but still allows to recognize the background.	3
3	Cloud Shadow	non-cloud	invalid	Dark pixels thrown by a thick or thin cloud.	2

**Table 4.** Metadata associated to each image patch.


Metadata name	Description
annotator_name	The labeler's name.
roi_id	The region of interest ID.
s2_id_gee	Sentinel-2 GEE ID.
s2_id	Sentinel-2 product ID.
s2_date	Sentinel-2 acquisition date in ISO format.
s2_sen2cor_version	Sen2Cor configuration baseline used at the time of the product generation.
s2_fmask_version	Fmask version.
s2_s2cloudless_version	s2cloudless version.
s2_reflectance_conversion_correction	Earth-Sun distance correction factor.
s2_aot_retrieval_accuracy	Accuracy of aerosol optical thickness model.
s2_water_vapour_retrieval_accuracy	Declared accuracy of the Water Vapor model.
s2_view_off_nadir	The angle from the SEN2 sensor between nadir (straight down) and the scene center.
s2_view_sun_azimuth	SEN2 sun azimuth angle.
s2_view_sun_elevation	SEN2 sun elevation angle.
s1_id	SEN1 product ID.
s1_date	SEN1 acquisition date in ISO format.
s1_grd_post_processing_software_name	Name of the software to pre-processing SEN1.
s1_grd_post_processing_software_version	SEN1 software pre-processing version.
s1_slc_processing_facility_name	Name of the facility where the processing step was performed.
s1_slc_processing_software_version	Software version identification.
s1_radar_coverage	percentage of valid SEN1 pixels contained in this IP.
land_cover	Predominant land use.
label_type	Manual labeling type (i.e., scribble, high-quality or no-annotation).
cloud_coverage	Cloud coverage estimated using photo-interpretation. (see section: Image patches selection).
test	Whether the IP is part of training (train) or testing (test) dataset.
difficulty	Labeler's confidence (from 1 to 5) of the manual annotation. Where one indicates near-perfect and five denotes potentially significant mistakes.
proj:epsg	EPSG code.
proj:geometry	Footprint of this IP.
proj:shape	Number of pixels for the default IP.
proj:centroid	Centroid coordinates of the IP in latitude and longitude.
proj:transform	The affine transformation coefficients.

**Table 5.** Output correspondence for the available CD algorithms. KappaMask, Sen2Cor, Fmask, S2cloudless, CD-FCNN and QA60 are mapped respectively to CloudSEN12 semantic categories. Adapted from Sanchez et al.<sup>13</sup>

CloudSEN12	KappaMask	Sen2Cor	Fmask	s2cloudless	CD-FCNN	QA60
0 Clear	1 Clear	4 Vegetation 2 Dark area pixels 5 Bare Soils 6 Water 11 Snow	0 Clear land 1 Clear water 3 Snow	0 Clear	0 Clear	0 Clear
1 Thick cloud	4 Cloud	8 Cloud medium probability 9 Cloud high probability	4 Cloud	1 Cloud	1 Cloud	1024 Opaque cloud
2 Thin cloud	3 Semi-transparent cloud	10 Thin cirrus				2048 Cirrus cloud
3 Cloud shadow	2 Cloud shadow	3 Cloud shadows	2 Cloud shadow			


**Table 6.** Metrics of the three different experiments for all the annotation algorithms. The BOA value is computed as the median BOA across all IPs. PA/UA values show the percentage of IPs with that metric below 0.1 (low), between 0.1 to 0.9 (middle), and higher than 0.9 (high). Values closest to one hundred in the "high" group are better, whereas values close to zero in the other two groups are the ideal. The best values considering the PA/UA high group have been highlighted in bold (excluding human annotation).

Experiment	CD algorithm	BOA	PA <sub>low</sub> %	PA <sub>middle</sub> %	PA <sub>high</sub> %	UA <sub>low</sub> %	UA <sub>middle</sub> %	UA <sub>high</sub> %
a. cloud/no cloud	Human level	0.99	1.03	14.03	84.94	0.13	4.39	95.48
	UNetMobV2	<b>0.92</b>	<b>0.77</b>	<b>30.63</b>	<b>68.6</b>	0.26	25.03	74.71
	KappaMask L2A	0.77	2.83	31.92	65.25	1.56	63.04	35.41
	KappaMask L1C	0.82	4.89	45.3	49.81	0.65	38.38	60.97
	Fmask	0.84	5.92	40.54	53.54	0.26	52.65	47.09
	s2cloudless	0.79	7.08	52.38	40.54	0.65	31.5	67.84
	Sen2Cor	0.71	13.13	64.86	22.01	1.58	20.05	78.36
	QA60	0.58	24.84	49.94	25.23	1.39	37.62	60.99
	CD-FCNN-RGBI	0.72	17.50	74.00	8.49	1.62	12.58	85.79
	CD-FCNN-RGBISWIR	0.72	18.40	71.43	10.17	<b>0.82</b>	<b>9.43</b>	<b>89.75</b>
b. cloud shadow	Human level	0.99	3.11	22.04	74.85	0.60	9.97	89.43
	UNetMobV2	<b>0.89</b>	<b>8.88</b>	<b>67.16</b>	<b>23.96</b>	7.99	46.65	45.36
	KappaMask L2A	0.64	37.28	59.76	2.96	12.24	36.9	50.85
	KappaMask L1C	0.74	30.03	60.95	9.02	20.67	59.36	19.97
	Fmask	0.72	22.34	76.04	1.63	14.53	77.06	8.41
	Sen2Cor	0.51	64.5	35.21	0.30	<b>6.90</b>	<b>18.10</b>	<b>75.00</b>
c. valid/invalid	Human level	0.99	1.03	14.8	84.17	0.13	2.33	97.55
	UNetMobV2	<b>0.91</b>	<b>0.77</b>	<b>28.57</b>	<b>70.66</b>	<b>0.00</b>	<b>17.14</b>	<b>82.86</b>
	KappaMask L2A	0.75	2.96	39.38	57.66	1.29	44.32	54.39
	KappaMask L1C	0.81	3.99	47.62	48.39	0.65	32.64	66.71
	Fmask	0.81	4.89	45.43	49.68	0.26	44.34	55.39
	Sen2Cor	0.67	13.77	69.63	16.6	1.05	18.58	80.37




**Figure 2.** A high-level summary of our workflow to generate IPs. a) Satellite imagery datasets that comprises CloudSEN12 assets. b) IP selection by the CDE group. c) Generation of manual and automatic cloud masking. KappasMask and CD-FCNN have two distinct configurations.







**Figure 3.** The three primary types of hand-crafted labeling data available in CloudSEN12. The first row in high-quality (a), scribble (b), and no annotation (c) subgroups shows a SEN2 level 1C RGB band combination.



**Figure 4.** Human calibration workflow diagram. The overall accuracy (OA) is calculated by comparing individual labeler results against expert group results.



**Figure 5.** a) High-quality labeling phase diagram. The model is set up using s2cloudless priors (blue). Annotations made by labelers with and without ML assistance are saved (green). b) Scribble labeling phase diagram. The labelers starts by adding samples at the centroids (blue), and then into the borders; if the results pass a simple visual inspection, the annotation is send to inspection (see quality control phase).




**Figure 6.** Flowchart overview of the entire QC process.


**Labels without control quality**

	Clear	Thick Cloud	Thin Cloud	Cloud Shadow
Clear	<p>53.4% 1382301751 UA: 96.4% PA: 99.1%</p>	<p>0.5% 13287461</p>	<p>1% 25023500</p>	<p>0.5% 13010510</p>
Thick Cloud	<p>0.1% 2820493</p>	<p>26.4% 684441456 UA: 95.0% PA: 96.6%</p>	<p>1.1% 29626398</p>	<p>0.1% 3699954</p>
Thin Cloud	<p>0.3% 8077256</p>	<p>0.2% 6156362</p>	<p>7.6% 197657429 UA: 92.2% PA: 78.0%</p>	<p>0.1% 2442925</p>
Cloud Shadow	<p>0.1% 1870126</p>	<p>0.2% 4531101</p>	<p>0% 1095663</p>	<p>8.3% 214767604 UA: 96.6% PA: 91.8%</p>

**Figure 7.** Confusion matrix between high-quality manual labels cast by the CDE group before and after the quality control procedure. In the middle of each tile, we show the number of pixels and their ratios with respect to the total number of pixels. The true positive class agreement is expressed by the UA and PA at the right and bottom of the diagonal tiles.



**Figure 8.** Location of the training (grey) and testing (black) regions. The IPs were collocated in a equal-area hexagonal discrete grid with a facet size of 140 km.



**Figure 9.** BOA, PA, and UA comparison for the CloudSEN12 dataset. The upper figure depicts BOA density estimations for all CloudSEN12 IPs high-quality. The colors reflect the tail probability estimated by  $0.5 - \text{abs}(0.5 - \text{ecdf})$ , where  $\text{ecdf}$  is the empirical cumulative distribution function. The vertical black lines drawn represent the first, second, and third quartiles, respectively. The heatlines in the lower figure shows the PA and UA value distribution. The red stars shows the median and the gray lines the 25th and 75th percentiles.




Figure 10. Scheme of the CloudSEN12 dataset.






Figure S1. IRIS (Intelligently Reinforced Image Segmentation) graphical user interface<sup>48</sup>. There are seven feature bars. A) Edit and navigation bar. B) Select drawing semantic classes. C) Draw bar; the last bottom of this group executes the GBDT algorithm that filling out the mask using prior manual annotations. D) Testing bar, it helps to compare human and AI annotations. E) Image contrast bar, that change image brightness and saturation. F) Image metadata, that display image thumbnail and IP location using Google maps. G) Machine learning summary support, that shows GBDT performance metrics. The IRIS interface is displaying the Cirrus band, Red-Green-Blue and Blue-SWIR1-SWIR2.



**Figure S2.** Three main cloudApp panels. A) Display time series for the Blue, SWIR1 bands, and NDVI for all images in a one-year moving window with less than 5% cloud coverage. B) Inspect image thumbnails; the white circle's values are averaged and displayed in panel A. C) Map display for showing the image patch's centroid.



**Figure S3.** Different versions of Sen2Cor in the test set.