

The Global Peace and Food Security; A case study of the Global South and the South Pacific Island Nations; the need for affordable wheat and grain supply

Tobert Ken Orcid ID; 0009-0003-8810-6722/ Master of Research-Agriculture Candidate
Institute of Biological, Environmental and Rural Science, Aberystwyth University, United
Kingdom.

Email; tak22@aber.ac.uk

National Agriculture Quarantine and Inspection Authority (NAQIA) of Papua New Guinea
TAkau@naqia.gov.pg

The paper is intended for a non-peer reviewed preprint submitted to EarthArXiv. The paper was not submitted to any other journal.

The Global Peace and Food Security; A case study of the Global South and the South Pacific Island Nations; the need for affordable wheat and grain supply

Preface

Most countries in the Global South, Africa, and Pacific Island have irregular rainfall patterns, with strains of El Niño patterns causing severe food shortages. Plant breeding on grains is non-existent in Pacific Island nations, and the main staple foods are imported rice and wheat, although their prices are exorbitant. Food labelling and marketing of affordable energy grains from conventional and mutational plant breeding programs are fundamental for producers and consumers to establish in the global food trade. A new paradigm shift in the agrifood system was modelled to accompany energy alone food aid from the regions of the wheat and grain producing countries, deviating from the recent biofortification race. Four strategies were identified to supplement the nutritional downfalls from the high-yielding grain crop breeding program: (a) growing fruits and vegetables in controlled environment agriculture (CEA); (b) promoting livelihood through sustainable ecosystem services; (c) sustainable fisheries development for marginalized atoll nations; and (d) fast, efficient, and reliable transport services requiring both public and private sector approaches for food to reach their intended destination.

Keywords: Key Words; Plant breeding, Food Security, Nutrition, Sustainable farming and fisheries, Food Losses

1. Introduction

Many policies are versioned and missioned to trigger and transform socioeconomic aspirations and the agrifood and environmental systems outsmarting individual and oblivious terms. As usual, there are many debates, proposals, and strategies to sustain global peace through the equitable sharing of wealth on domestic, regional, and multilateral forums. Climate change, poverty, and inequality are the defining issues that have been proven to exist in countries in the Global South. One significant driving agenda in the MDGs and SDGs has been the eradication of extreme poverty and hunger from active global participation. All SDGs were aligned to food security and will end by 2030. Having access to sufficient nutrition has been a challenge for different sets of criteria used by policymakers in sustainable resource extraction strategies.

A significant proportion of the achievement in food security was achieved through plant breeding with significant genetic gains in a shorter period of time. More than 70% of the global increase in food production is from plant breeding and selection using effective crop management techniques [1][2]. Grain producers have been driven by market demand for minerals and oil content, hence less or no effort has been made on energy crops that are much needed in developing third world nations. Advanced research on increased protein concentrations in wheat without grain yield reduction was undertaken by Monaghan *et al*[3]. However, protein content is more influenced by genotype(G), environment(E), and genotype

and environment interactions (GxE)[4][5]. Increasing yield is a multidisciplinary effort from breeding of desired traits to agronomic practices. A classic example of this paper is yield improvement of wheat and maize from irrigation, which is now focused on yield.

While not disputing the nutrition enrichment in the rural households from biofortified rice such as the “Golden Rice” in South East Asia, Ginkel and Cherfas[6] still characterized that biofortification had risks of yield penalty and had risks of genetic uniformity on the crops. Furthermore, Golden rice as a GMO crop has not gone well with the populations of rice-growing countries such as the Philippines. In contrast, recent advanced food breeding programs such as the Double-Haploid production technologies (anther culture and maize induction systems) on wheat [7][8][9] and F1 Heterosis on rice[10][11][12] have maintained the equilibrium of the food to population ratio.

Fine arts and poets often stream global food security and run parallel to global peace. The intertwined traditional beliefs of the Pacific Island nations—their land, sea, sea bed, water, mountains, and their gods—had elucidated a low cost and splendid life. Climate change and food security are two eminent threats affecting the livelihoods of Pacific Island nations. One of the significant achievements among the small Pacific Island nations was to change their constitutions to climate change mitigation strategies. The definitions of how to manoeuvre the actual needs were not coherently deliberated by successive governments on the population’s welfare in the Global South; for example, mass migration to cities from rural settings is now appalling. Specialized plant breeding as a food aid program was expected to flourish in the Global South supply chain using the gravity model [13] naturally used by the WTO to facilitate trade, such as Helpman and Grugman’s model of monopolistic competition [13, 14] and Heckscher–Ohlin’s model of specialization [15][16].

2. Alternative cheap and affordable wheat and grain supply

The lifestyles and eating habits of Pacific Island Nations have changed since the introduction of rice and wheat. More populations have also congregated in towns and cities; hence, there is a demand for imported rice and wheat. Domestic energy crops, such as kaukau, taro, yam, and banana, were sold to buy rice and wheat as a treatment and luxury. Life in the small and remote islands and the atolls was quite cranky, with bread fruit and banana as the main staple food. Overall, food crops are threatened by prolonged dry seasons (El Niño) and rising sea levels; hence, there is an increased need for imported foods. The populations in some island nations were judicious about their dietary contents, and the current source of wheat and grains cannot be replaced. In Papua New Guinea, 10 kg of wheat flour costs US\$16.84; but however a second price of US\$7.77 in the market with proper nutrition labelling, was yet to be tested. The inhabitants of most Pacific Island nations are known to eat foods that are processed in fats and high sugar [17], with little or no nutrition policy and substantive resilient food security programs. Obesity, diabetes, hypertension and cerebrovascular diseases were common cause of premature deaths [18][19]. Some deaths were exacerbated by climate change-induced food shortages coupled with delayed and high transport costs. With no constant supply of food, eating habits were systematically accustomed to the availability of food (passed on from non-

refrigeration times), hence the new paradigm shift for constant food supply with alternative nutrient sources and price affordability.

Food pricing is critical at the moment where the world population is expected to rise from 7.2 billion to 9.6 billion and 12.3 billion in 2100[20]. Although population growth in countries such as China and developed nations was aging and stagnant, much of the population growth was expected in Africa and developing nations where fertility rates were higher [21][22].

The outlook is, however, different from the world population growth projections, especially in sub-Saharan African nations where debilitating weather-induced and conflict-related food crises were evidenced by alarming widespread hunger and chronic malnutrition [23]. A recent example of shock on the population was Covid 19 with its new strains every three to four months, prompting stringent and cohesive analysis of climate change and its effects. Here, it may only appear that the horizons of the time phase have gone past human perseverance. Will food ever be cheaper?

3. What has happened to bio fortification; A key factor designed to alleviate the hidden hunger from insufficient nutrition in staple crops

New trends of extra input of labor and resources such as availability of land, heavy fertilizer and pesticide use, soil degradation, low yields, and ecosystem imbalances during the biofortification process have prompted other parameters to enable sufficient nutrition for the population. Insufficient intake or lack of vital nutrients such as vitamin A, iron, zinc, and folate in the main energy crops are known to cause malnutrition[24][25][26][27][28], especially in marginalized populations now considered as hidden hunger. The National Government of Papua New Guinea chose to fortify rice to alleviate nutrient deficiency as a national nutrition enhancement policy but was seen as a forced feeding to the public. The usual norm of agronomic biofortification from soil, such as zinc derived from NPK and organic fertilizers[29], has equal benefits on both yield and nutritional quality with consumer satisfaction. Trends in consumer sustenance are significant in agronomic practices.

With improvements in recent rDNA technologies, genetic biofortification of staple crops has been shown to be an effective strategy for increasing dietary Fe and Zn intake [30]. In some regions, such as the European Union, farmers are few in number but are known to be highly productive without GMO crops[31]. EU countries categorize mutants as non GMO from inserted recombinant DNAs. Gene editing via SDN appears promising, with newly generated INDELS remaining indistinguishable from natural mutations, providing accelerated opportunities for specific plant breeding. Ground breaking research using SNAi gene editing technology was undertaken by Garcia-Molina et al.[32] from the Institute for Sustainable Agriculture(Spain) and the University of Tuscia(Italy) to reduce immunogenic gluten. Gluten is a major determinant of bread-making quality but is related to digestive disorders that are significant criteria during wheat breeding and selection. In wheat and oats, β -glucan is known to lower blood cholesterol, an enzyme known to disrupt the gluten network in dough.

Yield as usual is the fundamental issue in biofortification compensation, as described by Ginkel and Cherfas[6] for wheat and Jan[33] for sweet potato. The two candidates of wheat that were introgressed for iron and zinc from high-yielding cultivars were found to be lower in the check cultivar by 82% and 72%, respectively[6]. In sweet potato, two yellow types high in Beta Carotene performed lower yields of 77% and 67%, respectively, from the white low beta carotene check variety[33]. Annual genetic gains from the two species tested ranged from 0.5 to 1%. Here, the need to allocate land for other nutritious vegetables decreases to accommodate the low yield of bio-fortified staple crops. Food policymakers have now been challenged to give equal attention to nutrient diversification in diets[34][35]. The world food day will arrive on 10th October 2024, and a take action theme of “Greater variety, affordable, accessible, safe and sustainable foods” by all stakeholders in the food sector were the central theme set by FAO(fao.org/world-food-day/take-action/en).

4. Controlled Environment Agriculture (CEA); A potential successful nutrition policy in the Global South

The CEA program is assumed to be the only modern and successful food production technique that meets all the 17 SDGs and the five key take-way action plans in the Cop 28[2023] held in Dubai to keep the temperature goal of 1.5 °C alive[unfccc.int/cop28]. Primary food producers such as Australia were too small to be food bowls for Asia and the Pacific because the current production could feed up to 60 million people [36]. In South America, Brazil proved to be an emerging economy based on agriculture, but faced external pressures from deforestation [37][38][39][40] with periods of economic decline and societal disaffection[41][42]. Recently, Digital Agriculture aimed at precision and smart farming was seen as a new shift of transformative force in food production [43][44][45] at lower labour costs [46][47] and improved health and safety issues[48][49]. A significant food security and trade efficient CEA project was undertaken by the provincial governments of Papua New Guinea in partnership with the LR Group, which is now supplying the domestic fruit and vegetable market, including neighbouring South Pacific Island countries(<https://www.innovative-agro.com/9-mile-farm>). Apparently, this project is aggregated into financial benefits at equal prices from local farmers and Fresh Produce Agencies with no CEA competition.

4.1 The Propensity of CEA on the atoll Nations of the Pacific Islands


There is limited literature on how atoll nations cope with environmental and climate change hazards[50,51,52]. Cauchi et al.[50] further stressed the significance of livelihood assets in coping with environmental and social hazards. The necessary concern and priorities of the communities were a significant approach to solving climate change-induced challenges by local governments and concerned stakeholders. The Director of the Secretariat of the Pacific Regional Environmental Programme (SPREP) made an explicit reference where uncertain scientific, social, and environmental concepts cannot be aided by local governments and regional forums[53], a significant step toward climate change adaptation policy. One of the social concerns among Pacific Island countries is the epidemic of non-communicable diseases

such as diabetes [17,18,19,54,55]. A significant step in optimizing diabetes management is glucose monitoring[56,57]. Uuh-Narvaez and Segura-Campos[58] found that cabbage had multi-target effects on glucose homeostatic regulation owing to its high content of bioactive compounds. Brassica *species* including all varieties, are modest vegetable crops proven well to simple and adaptable vertical and hydroponic gardening, providing much needed nutrition in rural, atoll, and suburban peripheries where nutritive diets are deficient. Recent innovations in soil being made in cubes for farming have taken precedence in the small atoll nations on vegetable farming, including staple foods such as Swamp Taro(*Cyrtosperma merkusii*)(<https://www.spc.int/updates/blog/partners/2021/10/atoll-nation-of-tuvalu-adopts-cubes-to-step-up-nutritious-food>).

5. Ecosystem and Livelihood; Can the Flora and Fauna sustain additional diets?

The global village is renowned for sustaining communities in their own ecosystems, for example, the Mongols of Central Asia, who are nomadic on livestock grazing patterns. Alpaca, a new upland livestock that is popular worldwide, has been a mainstay for rural households of the Andes in South America for meat, milk, and fibre, a case representing most village communities in the Global South on nutrition supplementation. Little is known about the cash economy in these communities, and they have struggled to respond adaptively to economic and institutional globalization[59]. The reason being that alongside the functional ecology where theoretical and empirical evolutionary processes of the population dynamics, communities, and ecosystems were affluent[59,60,61]. An accessible food policy program promoting livelihoods and conservation was described by Salasky and Wollenberg [62]. In contrast, highly anthropocentric means have been proven to be in-adequate for clinical nutrition[63]. Richardson[64] identified that food security were categorized in three definitions; “availability, access and utilization” with a sustainable theme to Integrate human health with the health of the biosphere[59,62,63,64,65]. Globalization and the Agri-food system were now connected in a heterogenous phenomenon termed “telecoupling” between the Global North and the Global South [66,67]; for example due to high demand for pork, Germany ordered tonnes of soyabean from Brazil leading to high level of deforestation. Trade alone cannot offset hunger and nutrition; when Kastner et al.[68] and Clark et al.[69] pointed out that an increased supply of foods such as corn, soybeans, sugar, and meat products is linked to obesity. Threads of practical occultism and self-realism [70] were critical in this review on issues of nutrition, freshwater use, biochemical cycles, livelihoods, ecosystems, and human development.

Figure 1. The highly heterogeneous land use systems amongst trading parties revealing synergies and trade-offs of enhanced nutrition and environmental conservation. [<https://doi.org/10.1016/j.oneear.2021.09.006>][Kastner et al 2021]



6. Sustainable Fisheries Development aiding Food Security in the Pacific Island Nations

For atoll nations in the Pacific, farming is mostly improbable because arable lands are salty and waterlogged by rising sea levels [<https://stories.undp.org/food-security-in-the-pacific#!>]. It looked eminent that the hope beyond was trading the surplus tuna stock with stringent and workable legislative frameworks to safeguard and market marine and fishery stocks. A supposedly set a side special budget to build sea walls and CEA programs for countries such as Tuvalu, Kiribati and some parts of Papua New Guinea such as Carterets and Mortlock Islands by South Pacific Forum Fisheries Agency (FFA) and other sub and regional forums were significant and amicable. “For atoll nations (like Tuvalu) the gravities of sea level rise are now unalterable and emission restrictions will no longer help us” An urgent plea made by Hon. Kausea Natano, Prime Minister of Tuvalu during COP26(2021) in Glasgow, Scotland [<https://www.sprep.org/news/tuvalu-is-sinking-prime-minister-natano-tells-world-leaders-grim-reality-of-atoll-nation>]. During the Pacific Tuna Forum presentation held in Port Moresby in 4th January 2024, the total catch for 2022 in the Central and Western Pacific Ocean were around 2.7 million metric tones worth US\$5.9 billion [thenational.com.pg/pacific-contributes] [<http://ptf.infofish.org/>]. With such lucrative income, land-based policy directives and in-depth analysis of proactive food security programs supported by tangible budgets by member nations from the Tuna Fisheries were not stressed, but had aggravated allowance for donor support programs, leaving the sinking atoll nations in a precarious position. Several cases of climate change refugees with developed nations such as Australia, New Zealand, and the USA had no legality since the United Nations Convention of 1951 on refugee status declared that no


persecution was found on the sinking Island Nations. The development expenditure spent on climate change by the submerged small island developing states also contravenes most or all of the 30 United Nations Human Rights Declarations made on 10th December 1948, in Paris(<https://www.ohchr.org/en/human-rights/universal-declaration/translations/english>). The current development donor partners were nations that were currently leading the GHGs emissions; hence, the new superficial and resounding Pacific way of leading the global front has emerged by sustaining the existence of the sinking island nations by themselves and the Members of the Pacific Island Forum by fortifying land for housing, farming and CEA from the pursuit of sustainable fisheries development.

7. The Significance of Food Transport sector; A sector responsible for Postharvest quality to minimize Food and Nutrition loss

The food transport sector is an efficient and effective method for delivering food from farms to forks in its original and intended purpose for manufacturing, consumption, and stockfeed. Sobal et al.[71] proposed an integrated model of a food system with three subsystems(producer, consumer, and nutrition) and identified six stages; (breeding, production, manufacturing, transportation, digestion, and metabolism). The six stages were corrected from the nine stages by Sobal et al.[71] in the order of scientific basis and social acceptance, albeit the product value.


A fragile vegetables, such as broccoli, have a high nutritional content but quickly decompose during postharvest, shipment, and storage[72], a phenomenon on all fruits and vegetables. Antioxidant and anti-inflammatory properties, such as phenolic compounds, are known to increase during postharvest storage and treatment, but also at the cost of decreased juice yield and marketing value [73]. The transport sector plays a pivotal role for both producers and consumers in maintaining commercial quality and quantity. Pest and disease treatment in the tested conditions during transportation in both thermal heat and freezing were necessary to avoid time taken during onshore treatments and to increase shelf life. Online processing and transmission of food import and export permits were required because fast and efficient communication was lacking between the shipping routes that are believed to have caused food losses in shipper's warehouses or losses en route to the destination.

Figure 2. Concentration of Domestic food losses across the globe from 2007 to 2022[<https://www.fao.org/platform-food-loss-waste/flw-data/en/>]



Source: FAO
Date: 2024-07-17 07:21:48
Aggregation: WORLD
Aggregation Option: All
Country : All
Commodity Aggregation: All

Figure 3. Box plot by stages of domestic food losses from 2007 to 2022[<https://www.fao.org/platform-food-loss-waste/flw-data/en/>]



7.1 The Role of Agriculture Quarantine Services in the Transport Sector

Travelling passengers, food movement, raw products, and used equipment are known to spread economic pests, invasive species, and diseases worldwide, threatening food security and livelihood. Trading partners are members of the World Trade Organization that comply with the Sanitary and Phytosanitary measures set by the International Plant Protection Convention (IPPC) [74]. Therefore, Plant Quarantine services were not an unreasonable technical barrier to trade, but all policies were based on manageable risks based on science through Pest Risk Analysis [74,75,76]. After compartmentalizing and PRA, trade occurred between parties, guided by the International Standards for Phytosanitary Measures (ISPM) [<https://www.ippc.int/en/core-activities/standards-setting/ispms/>]. Government efforts

were significant in terms of diversity and accessibility, mainly in commercial partnerships, freight subsidies, and low tariffs on energy crops, including fruits and vegetables.

8. Conclusion

The new narration deviating from the biofortification to diversification factored by the food aid program signifies new dimensions of the Agrifood systems, shedding a bright future on land and ecosystem maintenance. With collective efforts in fundamental research on identifying local high yielding grain crops, strategic food security policies are required to resuscitate volatile and fragile nations in the Global South. The struggle and story of the atoll nations in the Pacific reverberates global peace, although direct mitigations such as specific plant breeding and CEA programs could also stabilize the challenges.

Specific rice grown for Papua New Guinea has preceded with growers in Asia.

The article solves SDGs No.2[Zero hunger]

9. Declaration

The writing is solely for humanitarian and food security purposes upon the critical assessment of sustainable and efficient food production systems. The author is a biosecurity officer at the National Agriculture Quarantine of Papua New Guinea, Graduating as Master of Research-Agriculture(IBERS online) with Aberystwyth University.

AI was used to correct sentence structures

10.Acknowledgment

The authors acknowledge the National Agriculture Quarantine of Papua New Guinea for allocating time and resources.

This study had no funding.

11.Appendix (1) Websites were reviewed on reviewable sites

12.References

1. Stewart.D; McDougall.G.(2014).*Oat agriculture, cultivation and breeding targets; implications for human nutrition and health*. British Journal of Nutrition(2014).Volume 112.[link; Google Scholar](#) Reviewed 25/05/23
2. Cowling.W.A; Li.L; Siddique.K.H.M; Banks.R.G; et al.(2018).*Modelling crop breeding for global food security during climate change*. *Food and energy security*. Wiley online library. Volume 8 Issue 2. [Google Scholar](#) Reviewed 14/08/23

3. Monaghan.J.M; Snape.J.W; Chojeck.A.J.J; Kettlewell.P.S.(2001).*The use of grain protein deviation for identifying wheat cultivars with high grain protein concentration and yield*. SpringerLink. Volume 122, Pages 309-317 Link;[Google Scholar](#) Reviewed 17/01/24
4. Williams.R.M; O'Brian.L; Eagles. H.A; Solah.V.A;et al.(2008).*The influence of genotype, environment and genotype environment interaction on wheat quality*. Crop and Pasture Science. CSIRO. Australian Journal of Agricultural Research 59(2) 95-111 Link;<https://doi.org/10.1071/ARO7185> /[Google Scholar](#) Reviewed 17/01/24
5. Dencic.S; Mladenov.N; Kobliljski.B.(2011).*Effects of genotype and environment on bread making quality in wheat*. International Journal of plant production 5(1), January 2011. [Google Scholar](#) Reviewed 17/01/24
6. Ginkel.M and Cherfas.J.(2023).*What is wrong with Bio fortification*. Global food Security, Volume 37, June 2023. Elsevier. Link; <https://doi.org/10.1016/j.gfs.2023.100689> Reviewed 28/06/24
7. Basu.S.K; Datta.M;Sharma.M; Kumar.A.(2011).*Haploid production technology in wheat and some selected higher plants*. Australian journal of crop science. Journal Article. [Google Scholar](#) Reviewed 17/01/24
8. Garcia.G.A; Hasan.A.K; Puhl.L.E; Reynolds.M.P; et al.(2013).*Grain yield potential strategies in an elite wheat double-Haploid population grown in contrasting environments*. Crop Science. Crop Physiology and Metabolism. <https://doi.org/10.2135/cropsci20112.11.0669> /[Google Scholar](#) Reviewed 17/01/24
9. Tadesse.W; Inagaki.M; Tawkaz.S; Baum.M; et al.(2016).*Recent advances and application of doubled haploids in wheat breeding*. African journal of Biotechnology. Vol.11 No.89 [Google Scholar](#) Reviewed 17/01/24
10. Young.J and Virmami.S.S.(1990).*Heterosis in rice over environments*. SpringerLink. Published November 1990. Volume 51, Pages 87-93.[Google Scholar](#) Reviewed 17/01/24
11. Murayama.S; Abu.M; Sarker.S.(2002).*Agronomic performance of F1 hybrids of Rice (Oryza sativa.L) Japonica-Indica crosses; Heterosis for and relationship between grain yield and related characters*. Plant production Science 5 (2002)3 Link;<https://doi.org/10.1626/pps.5.203> /[Google Scholar](#) Reviewed 17/01/23
12. Kim.C.H and Rutger.J.N.(1986).*Heterosis in rice. Proceedings of the International Symposium on Hybrid rice. International Rice Research Institute*. [Google Scholar](#) Reviewed 17/01/24

13. Sabramanian.A and Wei.S.J.(2007).*The WTO promotes trade, strongly but unevenly*. Journal of international Economics. Volume 73, Issue 1. Science Direct. Link;<https://doi.org/101016/j.jinteco.206.07.007> /[Google Scholar](#) Reviewed 04/01/23
14. Arnold.L.G.(2013).*Existence of equilibrium in the Helpman-Krugman model of international trade with imperfect competition*. Volume 52. Pages 237-270. Springer link. [Google Scholar](#) Reviewed 05/01/23
15. O'Rourke.K.(2003).*Heckscher-Ohlin Theory and Individual attitudes towards Globalization*. National Bureau of Economic Research.[PDF][Google Scholar](#) Reviewed 05/01/23
16. Marc-Andreas Mundler.(2018).*International Trade, Labour Markets and the Global Distrubution of incomes*. Globale Ungleichheit. Volume 98 Pages 50-61. [Google Scholar](#) Reviewed 17/01/24
17. Cauchi.J.P;Bambrick.H; Correa-Velez.I; Moncada S.(2021).*White flour, white sugar, white rice, white salt*. Barriers to achieving food and nutrition security in Kiribati. Food Policy Volume 101. May 2021. <https://doi.org/10.1016/j.foodpol.2021.102075> /[Google Scholar](#) Reviewed 05/01/23
18. Hawley.N.L and McGarvey.S.T.(2015).*Obesity and diabetes in Pacific Island Nations: the current burden and the need for urgent action*. Current diabetes reports. Springer.[Google Scholar](#) Reviewed 05/01/23
19. Tin.S.F.W; Lee.C.M.Y;Colagiuri.R.(2015).*A profile of diabetes in Pacific Island Countries and Territories*. Diabetes Research and Clinical Practice. Volume 107, Issue 2, February 2015. Link;<https://doi.org/10.1016/j.diabres.2014.10.010> Reviewed 16/01/24
20. Gerland.P; Raftery.A.E; Sevcikopa.H; Li.N; et al.(2014).*World population stabilization unlikely this century*. Google Scholar. Reviewed; 04/02/2024
21. Short.R.V and Malcolm Potts.(2009).*The impact of population growth on tomorrow's world*. Volume 364. Issue 1532. Link; <https://doi.org/10.1098/rstb.2005.1746> /[Google Scholar](#) Reviewed 04/01/24
22. Adair Turner.(2009).*Population priorities; the challenge of continued rapid population growth*. Philosophical Transactions of the Royal Society. Link;<https://doi.org/10.1098/rstb.2009> Reviewed 16/01/23
23. Menghestab Haile.(2005).*Weather patterns, food security and humanitarian response in sub-Saharan Africa*. Volume 360, Issue 1463. The Royal Society Publishing. Link;<https://doi.org/10.1098/rstb.2005.1746> /[Google Scholar](#) Reviewed 04/01/24
24. Garcia-Casal.M.N; Pena-Rosas.J.P; Giyose.B.(2016).*Staple crops bio fortified with increased vitamins and minerals; Considerations for a public health strategy*. The

- New York Academy of Sciences. ANNALS.
 Link;<https://doi.org/10.1111/nyas.13293> [Google Scholar](#) Reviewed 28/06/24
25. Sperotto.R.A; Ricacheneusky.F.K; Waldow.V; Fett.J.P.(2012).*Iron bio fortification in rice. It's a long way to the top.* Elsevier. Plant Science. Volume 190, July 2012, Pages 24-39. Link;[Google Scholar](#) Reviewed 06/08/24.
 26. Nestel.P; Bouis.H.E; Meenakshi.J.V; Pfeiffer.W.(2006).*Bio fortification of staple food crops.* The Journal of Nutrition Volume 136, Issue 4, Pages 104-167.
 Link;<https://doi.org/10.1093/jn/136.4.1064> / [Google Scholar](#) Reviewed 28/06/24
 27. Bouis.H.E; Welch.R.M(2010).*Biofortification-A sustainable Agricultural Strategy for reducing micronutrient malnutrition in the Global South.* Crop Science. The future of food. Developing more nutritious diets and safer foods.
 Link;<https://doi.org/10.2135/cropscir009.09.0531> / Reviewed 28/06/24
 28. Valenica.A.W; Bake.A;Brouwer.I.D; Giller.K.E.(2017).*Agronomic bio fortification of crops to fight hidden hunger in Sub-Saharan Africa.* Global food security. Volume 12, March 2017, Pages 8-14.
 Link;<https://doi.org/10.1016/j.gfs.201612.001> / [Google Scholar](#) Reviewed 28/06/24
 29. Ismail Cakmak.(2007).*Enrichment of Cereal grains with Zinc; Agronomic or genetic bio fortification?* Marschner Review. Springerlink. [Google Scholar](#) Reviewed 28/06/24
 30. Garcia-Banuelos.M.L; Sida-Arreola.J.p; Sanchez.E.(2014).*Bio fortification-promising approach to increasing the content of iron and zinc in staple food crops.* Journal of Elementology. BAZA Agro. Link;[Google Scholar](#) Reviewed 29/06/24
 31. Paarlberg.Robert.(2010).*GMO foods and crops; Africa's Choice.* New Biotechnology, Volume 27, Issue 5, Pages 609-613.
 Elsevier.<https://doi.org/10.1002/9781394186631ch8> / [Google Scholar](#) Reviewed 03/07/24.
 32. Garcia-Molina.M.D; Gimenez.M.J; Leon-Sanchez.S; Barro.F.(2019).*Gluten Free wheat: Are we there?* MDPI. Nutrients(2019).11(3)487
<https://doi.org/10.3390/nu11030487> / [Google Scholar](#) Reviewed 12/07/24
 33. Low Jan.(2020).*Final report sweet potato action for security and health in Africa SASHA II.* MEL. Agricultural Research knowledge. [Google Scholar](#) Reviewed 28/06/24
 34. Malezieux.E; Verger.E.O; Avallone.S; Alpha.A.(2024).*Bio fortification versus diversification to fight micronutrients deficiencies; an interdisciplinary review.* Food Security. Volume 16, Pages 261-275. Springer Link. [Google Scholar](#) Reviewed 01/07/24
 35. Bhati.S.N and Sharma.A.K; Ed.Prakesh.A; Kuila.(2024).*Dietary Diversification, Supplementation, Bio fortification and Food fortification. Chapter 8.*In the book

- Non thermal food processing and preservation*. Wiley online library.
Link;<https://doi.org/10.1002/9781394186631ch8>/[Google Scholar](#) Reviewed 01/07/24
36. Benke.K; Tomkins.B.(2017).*Future food-production systems: vertical farming and controlled-environment agriculture*. Sustainability: Science, Practice and Policy. Volume 13, 2017-Issue 1 <https://doi.org/10.1080/15487733.2017.1394054/> [Google Scholar](#) Reviewed 04/02/23
37. Sparovek.G; Berndes.G; Klug.I.L.F; Barretto.A.G.O.(2011).*Brazilian Agriculture and Environmental legislation: Status and future*. Agricultural and Food Chemistry. <https://doi.org/10.1021/es1007824>/[Google Scholar](#) Reviewed 05/01/23
38. Morton.D.C; Defries R.S; Shimabukuro.Y.E; Anderson.L.O; et al.(2006).*Cropland expansion changes deforestation dynamics in the Southern Brazilian Amazon*. Proceedings of the National Academy of Sciences. National Acad. Sciences. [Google Scholar](#) Reviewed 05/01/24
39. Sawyer.D.(2008).*Climate change, biofuels and eco-social impacts in the Brazilian Amazon and Cerrado*. Philosophical Transactions of the Royal Society. [Google Scholar](#) Reviewed 05/01/23
40. Phillip Fearnside.(2017).*Deforestation of the Brazilian Amazon*. Oxford Research Encyclopaedias. Environmental Science.Link;<https://doi.org/10.1093/acrefore/9780199389414.013.102>/[Google Scholar](#) Reviewed 17/01/23
41. Kalil.M and Braveboy-Wagner.J.(2016).*Brazil's International rise in the Twenty-First Century: Ambitions and Difficulties*. Springer Link. [Google Scholar](#) Reviewed 05/01/23
42. Mohanty.R; Thompson.L; Coelho.V.S.(2011).*Mobilizing the state? Social Mobilization and state interaction in India, Brazil and South Africa*. Wiley online library. Volume 2011. Issue 359 pages 01-39 Link;<https://doi.org/10.1111/j.2040-0209.2011.00359-2.x> /[Google Scholar](#) Reviewed 17/11/23
43. Klerkx.L; Jakku. E; Labarthe.P.(2019).*A review of social science on digital agriculture, smart farming and agriculture; New contributions and future research agenda*. Elsevier NJAS-Wageningen Journal of Life Sciences. Volume 90-91 Link[Google Scholar](#) Reviewed 19/01/23
44. Phillips.P.W.B; Relf-Eckstein.J; Jobe.G; Wixted.B.(2019).*Configuring the new digital landscape in Western Canadian Agriculture*. Journal of life sciences

.Volume 90-91 Link; <https://doi.org/10.1016/j.njas.2019.04.001> [Google Scholar](#)
Reviewed 19/11/23

45. Kayad.A; Sozzi.M; Gatto.S; Whelan.B; et al.(2021). *Ten years of corn yield dynamics at field scale under digital agriculture solutions: A case study from North Italy*. Elsevier. Computers and Electronics Agriculture. Volume 185, June 2021. <https://doi.org/10.1016/j.compag.2021.106126> / [Google Scholar](#) Reviewed 19/01/23
46. Prause.L.(2021). *Digital Agriculture and Labour: A few Challenges for social sustainability*. MDPI. Thaeer-Institute of Agricultural and Horticultural Sciences. Humboldt- Universitat zu Berlin Germany. [Google Scholar](#) Reviewed 19/01/23
47. Charania.I and Li.X.(2020). *Smart farming: Agriculture's shift from a labour intensive to technology native industry*. Elsevier. Internet of things. Volume 9. Link; <https://doi.org/10.1016/j.iot.2019.100142> / [Google Scholar](#) Reviewed 19/01/23
48. Benos.L and Bochtis.D.(2022). *An analysis of safety and Health Issues in Agriculture Towards Work automation*. Springer optimization and its applications book series. SOIA, Volume 185. [Google Scholar](#) Reviewed 19/01/23
49. Rotz.S; Gravely.E; Mosby.I;Duncan.E; et al.(2019). *Automated pastures and digital divide: How agricultural technologies are shaping labour and rural communities*. Elsevier. Journal of Rural Studies. Volume 68, Pages 112-122. <https://doi.org/10.1016/j.jrurstud.2019.01.023> / [Google Scholar](#) Reviewed 19/01/23
50. Cauchi.J.P; Moncada.S;Bambrick.H;Correa-Velez.I.(2021). *Coping with environmental hazards and shocks in Kiribati: Experiences of climate change by atoll communities in the Equatorial Pacific*. Environmental Development. Volume 37, March 2021,100549. Elsevier. <https://doi.org/10.1016/j.envdev.2020.100549> / [Google Scholar](#) Reviewed 25/07/24
51. McNaught, R., Warrick.O, Cooper.(2014). *Communicating climate change for adaptation in rural communities:a Pacific Study*. Regional environmental changes. Volume 14 Pages 1491-1503 <https://link.springer.com/article/10.1007/s10113-014-0592-1> / [Google Scholar](#) Reviewed 25/07/24

52. Nunn.Patrick.D.(2009).*Responding to the challenges of climate change in the Pacific Islands: management and technological imperatives*. Inter-Research Science Publisher.<https://doi.org/10.3354/cr00806> /[Google Scholar](#) Reviewed 25/07/24
53. Barnet.John.(2001).*Adapting to Climate Change in Pacific Island Countries: The problem of uncertainty*. World Development. Volume 29, Issue 6, June 2001, Pages 977-993. Elsevier. [https://doi.org/10.1016/S0305-750X\(01\)00022-5](https://doi.org/10.1016/S0305-750X(01)00022-5) /[Google Scholar](#) Reviewed 25/07/24
54. Brewer.T.D; Andrew.N.L; Abbot.D; Detenamo.R; et al.(2023).*The role of trade in pacific food security and nutrition*. Global Food Security. Volume 36,100670. <https://doi.org/10.1016/j.gfs.2022.100670> /[Google Scholar](#) Reviewed 25/07/24
55. Li.Y; Zhang.H;Jiang.Y.(2023).*Research on the changes and predictions of the burden of type 2 diabetes mellitus in Pacific Island Countries from 1990 to 2019*. PLOS ONE. Research Article. <https://doi.org/10.1371/journal.pone.0293681> /[Google Scholar](#) Reviewed 25/07/24
56. Mian.Z. Hermayer.K.L; Jenkins.A.(2019).*Continuous glucose monitoring: review of an innovation in diabetes management*. The American Journal of the Medical Sciences. Volume 358,Issue 5, November 2019, Pages 332-339. <https://doi.org/10.1016/j.amjms.2019.07.003> /[Google Scholar](#) Reviewed 25/07/24
57. Twigg.S; Lim.S; Yoo.S; Chen.L et al.(2023).*Asia-Pacific Perspectives on the Role of Continuous Glucose Monitoring in Optimizing Diabetes Management*. Journal of Diabetes Science and Technology. <https://doi.org/10.1177/19322968231176533> /[Google Scholar](#) Reviewed 25/07/24
58. Uuh-Narvaez.J and Segura-Campos.M.(2021).*Cabbage(Brassica oleracea var. capitata): A food with functional properties aimed to type 2 diabetes prevention and management*. Journal of food science/Volume 86, Issue 11 Pages4775-4798 <https://doi.org/10.1111/1750-3841.15939> /[Google Scholar](#) Reviewed 25/07/24
59. King.L.A and Hood.V.L.(2001).*Ecosystem health and sustainable communities: North and South*. Ecosystem health. Volume 5 Issue 1.Wiley online library. <https://doi.org/10.1046/j.1526-0992.1999.09906> /[Google Scholar](#) Reviewed 07/05/24

60. Fussman.G.F; Loreau.M;Abrams.P.A.(2007).*Eco-Evolutionary Dynamics of Communities and Ecosystems*. Functional Ecology. British Ecological Society. Vol.21. No.3 Pages 465-477. <https://www.jstor.org/stable/4540045> /[Google Scholar](#) Reviewed 05/07/24
61. Cui.W; Marsland.R; Mehta.P.(2021).*Diverse communities behave like typical random ecosystems*. CAPS Physics. Chorus. [DOI.10.1103/Phys.EvE.104.034416](https://doi.org/10.1103/Phys.EvE.104.034416) /[Google Scholar](#) Reviewed 05/07/24
62. Salasky.N; Wollenberg.E.(2000).*Framework and Scale for Assessing the integration of Human needs and biodiversity*. World Development. Volume 28. Issue 8, Pages 1421-1438.[https://doi.org/10.1016/s0305-750x\(00\)00031-0](https://doi.org/10.1016/s0305-750x(00)00031-0) /[Google Scholar](#) Reviewed 05/07/24
63. Mark.L. Wahlqvist.(2014).*Ecosystem health disorders-changing perspective in Clinical medicine and nutrition*. Asia Pacific Journal of Clinical nutrition. Volume 23, Issue 1. [Google Scholar](#) Reviewed 05/07/24
64. Richardson.R.B.(2010).*Ecosystem services and food security*. Economics perspectives on Environmental Sustainability. MDPI. Sustainability, 2010,2(11) 3520-3548.<https://doi.org/10.390/su2113520> /[Google Scholar](#) Reviewed 11/07/24
65. McMichael Anthony.J.(2007).*Integrating nutrition with ecology: balancing the health of humans and biosphere*. Cambridge University Press Volume 8 Issue 69. [Google Scholar](#) Reviewed 11/07/24
66. Challies.E, Newig.J, and Lenschow.(2014).*What role for social-ecological systems research in governing global Tele-connection?* Global Environ. Change 27(Supplement C) 32-40 Link; <http://dx.doi.org/10.1016/j.gloenvcha.2014.04.015> /[Google Scholar](#) Reviewed 15/07/24
67. Ge.J; Polhill.G.J;Macdiarmid.J.I;Fitton.N et al.(2021).*Food and nutrition security under global trade: a relation-driven agent based global trade model*. Royal Society Open Science. Link;<https://doi.org/10.1098/rsos.201587> Reviewed 15/07/24
68. Kastner.T; Chaudhary.A; Gingrich.S;Bidoglio.G; et al.(2021).*Global Agricultural trade and land system sustainability: Implications for ecosystem carbon storage*,

biodiversity and human nutrition. 50 one Earth.

Link;<https://doi.org/10.1016/j.oneear.2021.09.006> / [Google Scholar](#) Reviewed 07/11/24

69. Clark.S.E; Hawke.C; Murphy.S.M.E; Hansen-Kuhn;et al.(2012).*Exploring obesity: US Farm and Trade Policy and transformation of the Mexican consumer food environment*. J.Occup. Environ. Helath.2012. 18 53-64. Cross Ref from[58][Google Scholar](#) Review 11/07/24
70. Taimini.I.K.(1986).*Ultimate Reality and Realization*. The Theosophical Publishing House
Adyar.<https://www.svabhinava.org/abhinava/ShivaTexts/ShivaSutraTaimni.pdf>
Reviewed 11/07/24
71. *Sobal.J; Khan.L.K; Bisogni.C.(1998).*A conceptual model of the food and nutrition system*. Social science and medicine. Volume 47, Issue 7, Pages 853-863.
Link;[https://doi.org/10.1016/S0277-9536\(98\)00104-X](https://doi.org/10.1016/S0277-9536(98)00104-X) /[Google Scholar](#) Reviewed 15/07/24
72. Trod.B.S; Buttarelli.M.S; Stoffel.M.M; Ceccoli.G.(2022).*Postharvest commercial quality improvement of broccoli (Brassica oleracea L.) after foliar bio fortification with selenium*. Crop Science Society of America. Link:
<https://doi.org/10.1002/csc2.20904>/[Google Scholar](#) Reviewed 07/17/24
Reviewed 17/07/24
73. Rosa. L.A; Moreno-Escamilla; Rodrigo-Garcia.J Alvarez-Parilla.E.(2019).*Chapter 12-Phenolic Compounds*. Postharvest Physiology and Biochemistry of Fruits and Vegetables. Pages253-271 Link;<https://doi.org/10.1016/B978-0-12-813278-4.00012-9> /[Google Scholar](#) Reviewed 17/07/24
74. Martin.R.R; Constable.F; Tzanetakis.L.E.(2016).*Quarantine Regulations and the Impact of Modern Detection Methods*. Annual review of Phytopathology Volume 54. Annual reviews. Link;<https://doi.org/10.1146/annurev-phyto-080615-100105> /[Google Scholar](#) Reviewed 17/07/24
75. Soliman.T; Mouritus.M.C.M; Lansink. A; Werf.W.(2010).*Economic Impact Assessment in Pest Risk Analysis*. Crop Protection. Volume 29, Issue 6 Pages 517-524 [Google Scholar](#) Reviewed 20/07/24

76. Robinet.C; Kehlenbeck.H; Kriticos.D.J; Baker.R; et al.(2012). *A Suite of Models to Support the Quantitative Assessment of Spreads in Pest Risk Analysis*. PLOS ONE. Research Article. [Google Scholar](#) Review, 20/07/24.